



PRODUCT CATALOGUE 24V

PRODUCT CATALOGUE 24V

Aspöck Systems

Aspöck Systems – we bring light to the road

At Aspöck Systems we have made it our business to design, develop and build the best possible total solutions for Europe's vehicle manufacturers. And here we mean the complete range of vehicles.

Individual systems - Satisfied customers. Since their inception in 1977, Aspöck Systems GmbH has focused on a philosophy that has made it one of today's leading producers of lighting systems for the vehicle industry: developing custom-tailored solutions for each individual customer. This is the flexibility that has become the successful trademark of Aspöck Systems.

Innovative products. We see it as our obligation to make our entire range of cable and light systems compatible with the state-of-the-art, and play a pioneering role in setting new standards. We apply waterproof cables, connection systems and LED lighting to every field of application.


Continuous growth. Our headquarters in Peuerbach, Upper Austria has undergone continuous expansion in the production, storage and management sectors. Every year we invest in new production facilities, testing equipment and development systems to remain at the cutting edge of technology. At the same time we promote the further education and training of our employees, so that they always have the right answer when confronted with difficult questions, such as specific legislation issues.



Aspöck Systems GmbH

Subsidiaries.

A perfectly organised sales and service network throughout Europe guarantees short delivery times and a high degree of technical expertise. Many of the sales and service centres are our own subsidiaries, or those of sales partners.



Milestones

'77

Aspöck company founded as manufacturer of lighting systems for agricultural vehicles.

'81

First production workshop opens in Peuerbach

'82

First Aspöck connector system developed;

new customers:
car trailer manufacturers

'88

Formation of Aspöck Germany

'91

New customers:
caravan manufacturers

Partnership
PAGG Aspöck

'03

Introduce moulding technology to connector systems

'04

Formation of Aspöck Norden

new customers:
truck manufacturers

'05

New customers:
car manufacturers

'06

New customers:
motorcycle manufacturers
take-over Fabrilcar

'07

'92

New customers:
truck trailer
manufacturers

'96

First Aspöck
„Multipoint“ light
produced

'97

New customers:
bicycle carrier rack
manufacturers

'99

Formation of
Aspöck Iberica and
Formation of
Trailer Lite

'01

Formation of
Aspöck UK
Formation of
Aspöck France
Formation of
Aspöck do Brasil



Renaming Fabrilcar
as Aspöck Portugal

'08

Implementing of
the fully automated
high rack ware-house
in Peuerbach

'09

Extension of the
manufacturing base
location: Portugal

'11

Formation of
Aspöck Poland

'12

„Europoint III“
The first lamp with
a „Light Guide“ for
trailers

Formation of
Aspöck Turkey

'13

Aspöck cable systems

Aspöck connector systems

Aspöck cable systems consists of 2-, 3-, 7- and 17-pin connectors and sockets. Each cable system is available to match every 24 V trailer. Aspöck connector systems enable all components to be connected up easily. All plug/socket units are moulded and approved to protection class IP69K (waterproof against spray water and when submerged in water).

2-pin ASS1 plug



The 2-pin ASS1 plug and socket housing enable connections to be made quickly for systems such as: position lights, side lights and outline lights as well as additional functions requiring a 2-pin connection.

2-pin ASS2 plug



The 2-pin ASS2 plug is a further development of the 2-pin ASS1 plug – the advantage is an additional bayonet connection. This system enables connections to be made quickly and reliably for systems such as: position lights, side lights and outline lights as well as additional functions requiring a 2-pin connection.

3-pin ASS3 plug



Thanks to its small diameter, the 3-pin ASS3 plug offers speed and flexibility during installation. The ASS3 can also be used for 3-pin additional functions.

7-pin ASS2 plug



Aspöck rear lights are linked to the Aspöck connection system using this 7-pin plug. The 7-pin plug and moulded housing can also be used for other additional functions.

17-pin ASS3 plug



The 17-pin plug and moulded housing are used to connect front-end power supply, main cable and rear cable system as well as linking up to an additional distributor.

Press & Ready System (P&R)




The P&R cable system offers an additional method of establishing contacts quickly and easily for vehicle installations. All Aspöck single-function lights can be equipped and connected using the P&R System. The cables can be supplied in different lengths to match each application. These lights can be mounted at any point on a 2-core flat cable and have already been function tested. Because each individual conductor features a silicon seal, the system is completely waterproof and can even be used for hazard goods transport applications (ADR).


	DESCRIPTION	PART NO.
	P&R-tool/plier	10-0100-517
	cap for P&R connector	15-5971-007

Dimensions of various types of connector


2 pin ASS1 male



2 pin ASS1 female



2 pin ASS2 male




2 pin ASS2 female




3 pin ASS3 male black




3 pin ASS3 female black




7 pin ASS1 male




7 pin ASS1 female




7 pin ASS2 male



7 pin ASS1 female




7 pin ASS2 male




7 pin ASS2 female



7 pin ASS2 male




7 pin ASS2 45° female




7 pin ASS2.1 male
only on rear lamps




7 pin ASS2 female




7 pin ASS2.1 male
only on rear lamps




7 pin ASS2 45° female




17 pin ASS3 male



17 pin ASS3 female



P&R System



Connector Service Set

Aspöck 2-, 3-, 7- and 17-pin service and spares sets are available for integrating customer-specific lights or assemblies into the Aspöck connection system and retrofitting Aspöck components.

24V Lamps









24V LAMPS REAR LAMPS

EUROPOINT III LED

WITH 7 PIN ASS2.1 CONNECTION



GENERAL DESCRIPTION

- The first lamp with a „light guide“ (= fiber optics, already known from the automotive industry) designed especially for heavy duty trailers
- opportunity for direct mounting of an additional flexible LED end outline marker lamp
- pre-wired with 7 pin central connection of Type Aspöck ASS2.1
- 4 pcs additional 2 pin connectors on the rear of the lamp
- dimensions 400 x 153 x 88 mm

DESCRIPTION

left

right

left, including cross wiring outline marker Superpoint IV with integrated direction indicator LCG

right, including cross wiring outline marker Superpoint IV with integrated direction indicator LCG

left, 4 x 2 pin ASS2

right, 4 x 2 pin ASS2

left including cross wiring outline marker Superpoint IV

right including cross wiring outline marker Superpoint IV

left with integrated LCG direction indicator

right with integrated LCG direction indicator

left including cross wiring outline marker Superpoint IV, with 4 x 2 pin ASS2

right including cross wiring outline marker Superpoint IV, with 4 x 2 pin ASS2



PART NO

25-7000-707

25-7400-707

25-7020-737

25-7420-767

25-7000-717

25-7400-717

25-7020-707

25-7420-707


25-7000-747

25-7400-747

25-7020-717

25-7420-717

SPARE PARTS / ACCESSORIES



DESCRIPTION

lens left as spare part

lens right as spare part

insert „Light guide“ left

insert „Light guide“ right

LED insert direction indicator left

LED insert direction indicator right

LED insert for stop light left

LED insert for stop light right

LED insert for reverse light left

LED insert for reverse light right

LED insert for fog light right

LED insert for fog light left

end outline marker left

red/white/orange

end outline marker right

red/white/orange

PART NO

18-8570-001

18-8570-101

12-1570-001

12-1570-101

12-1570-224

12-1574-224

12-1570-204

12-1574-204

12-1570-234

12-1574-234

12-1574-214




12-1570-214

31-3103-024

31-3102-024

EUROPOINT III

WITH 7 PIN ASS2.1 CONNECTION



GENERAL DESCRIPTION

- The first lamp with a „light guide“ (= fiber optics, already known from the automotive industry) designed especially for heavy duty trailers
- opportunity for direct mounting of an additional flexible LED end outline marker lamp
- pre-wired with 7 pin central connection of Type Aspöck ASS2.1
- 4 pcs additional 2 pin connectors on the rear of the lamp
- dimensions 400 x 153 x 88 mm

DESCRIPTION

left

right

left, 4 x 2 pin ASS2

right, 4 x 2 pin ASS2

left including cross wiring outline marker Superpoint IV

right including cross wiring outline marker Superpoint IV

left including cross wiring outline marker Superpoint IV, with 4 x 2 pin ASS2

right including cross wiring outline marker Superpoint IV, with 4 x 2 pin ASS2



PART NO

25-7000-507

25-7400-507

25-7000-517

25-7400-517

25-7020-507

25-7420-507

25-7020-517

25-7420-517

SPARE PARTS / ACCESSORIES



DESCRIPTION

lens left as spare part

lens right as spare part

insert „Light guide“ left

insert „Light guide“ right

LED insert direction indicator left

LED insert direction indicator right

LED insert for stop light left

LED insert for stop light right

LED insert for reverse light left

LED insert for reverse light right

LED insert for fog light right

LED insert for fog light left

PART NO

18-8570-001

18-8570-101

12-1570-001

12-1570-101

12-1570-224

12-1574-224

12-1570-204

12-1574-204

12-1570-234



12-1574-234

12-1574-214

12-1570-214

EUROPOINT II

WITH 7 PIN ASS2 CONNECTOR



GENERAL DESCRIPTION

- unique clear glass design
- with and without number plate light to the bottom
- two bulbs for stop and tail light
- available with all functions in LED
- option of 4 additional 2 pin connectors of the rear side of the lamp for extra functions
- only one spare lens for left and right
- integrated side marker lamp

DESCRIPTION

left
left with number plate light
right
right with number plate light
left with additional 4 pieces
2 pin connections
right with additional 4 pieces
2 pin connections
left with end outline marker
red/white
right with end outline marker
red/white



PART NO

25-6000-507
25-6001-507
25-6400-507
25-6401-507
25-6200-507

25-6600-507

25-6011-517

25-6411-517

SPARE PARTS AND ACCESSORIES



DESCRIPTION

Europoint II left as spare part
Europoint II right as spare part
Europoint II left with additional
4 pieces 2 pin connections as
spare part
Europoint II right with additio-
nal 4 pieces 2 pin connections
as spare part
left with end outline marker
red/white as spare part
right with end outline marker
red/white as spare part
spare lens Europoint II
lens end outline marker red/white
end outline marker left red/white
end outline marker right red/white
orange bulb for direction indicator
bulb for end outline marker
24V 4W
bulb 24V 10W
bulb 24V 21W
LED insert for tail light
LED insert for direction indicator
LED insert for reverse
LED insert for fog light
LED insert for stop light
reverse beeper
close connection
protection cap small
protection cap big

PART NO

25-6000-501
25-6400-501
25-6200-501

25-6600-501



25-6011-511

25-6411-511
18-8560-002
18-8141-004
31-3305-064
31-3306-064
16-6321-607
16-6304-007

16-6310-007
16-6321-007
12-1560-001
12-1560-011
12-1560-021
12-1560-031
12-1560-141
12-3922-014
15-5623-304
15-5270-004
15-5276-004

EUROPOINT I

WITH 7 PIN ASS2 CONNECTOR



GENERAL DESCRIPTION

- only one spare lens for both sides
- with or without number plate light to the bottom
- shock absorbed bulb holder
- two bulbs for stop and tail light
- integrated side marker lamp

DESCRIPTION


Europoint I left
Europoint I right
left with number plate light
right with number plate light



PART NO

25-5000-507
25-5400-507
25-5001-507
25-5401-507

WITH CABLE GLANDS



DESCRIPTION


Europoint I left
Europoint I right
left with number plate light



PART NO

25-5100-507
25-5500-507
25-5101-507

SPARE PARTS / ACCESSORIES



DESCRIPTION

Europoint I left as spare part
Europoint I right as spare part
spare lens usable for left and right
yellow filter for direction indicator
4 pieces lens-screws
bulb 24V 5W
bulb 24V 10W
bulb 24V 21W
bulb 24V 21/5W





PART NO

25-5000-501
25-5400-501
18-8550-002
18-8555-007
14-1430-357
16-6305-007
16-6310-007
16-6321-007
16-6322-007




* ECOLED

7 PIN ASS2 CONNECTOR



ATTENTION!

long slot necessary



GENERAL DESCRIPTION

- new unique design with all functions in LED
- tight construction
- additional 2 x 2 pin ASS2 exits for additional options
- low current consumption
- trailer identification including (direction indicator monitoring) according to ECE 48 without additional tools
- integrated side marker light with reflector
- with or without end outline marker
- LCG function included for the direction indicator function

DESCRIPTION

- EcoLED - standard left
- EcoLED - standard right
- EcoLED - with 2 x ASS2 left
- EcoLED - with 2 x ASS2 right
- EcoLED - with outline marker and 2 x ASS2 left
- EcoLED - with outline marker and 2 x ASS2 right



PART NO

- 25-3800-507
- 25-3900-507
- 25-3800-517
- 25-3900-517
- 25-3820-517
- 25-3920-517

SPARE PARTS / ACCESSORIES



DESCRIPTION

- end outline marker LED left red/white/orange
- end outline marker LED right red/white/orange
- additional LCG 2 - EcoLED




PART NO

- 31-3305-237
- 31-3306-237
- 75-0309-001

ECOFLEX

WITH 7 PIN ASS2 CONNECTOR



GENERAL DESCRIPTION

- Integrated reflex reflector
- Available with rubber stalk marker (bulb or LED version)
- Standard ASS2 7 pin connector
- Protective rubber housing
- Clip-on lens, for easy replacement

DESCRIPTION

- EcoFlex standard left
- EcoFlex with bulb stalk marker left
- EcoFlex with LED stalk marker left
- EcoFlex standard right
- EcoFlex with bulb stalk marker right
- EcoFlex with LED stalk marker right



PART NO
25-2800-407
25-2810-407
25-2820-407
25-2900-407
25-2910-407
25-2920-407

SPARE PARTS / ACCESSORIES



DESCRIPTION

- EcoFlex spare lens left
- EcoFlex spare lens right
- Superpoint 3 bulb stalk marker for EcoFlex right
- Superpoint 3 LED stalk marker for EcoFlex right
- Superpoint 3 bulb stalk marker for EcoFlex left
- Superpoint 3 LED stalk marker for EcoFlex left
- LED insert for tail+stop light left
- LED insert for tail+stop light right











PART NO
18-8528-402
18-8529-402
31-3302-024
31-3302-044
31-3303-024
31-3303-044
12-1528-001
12-1529-001



ECOPOINT II

WITH 7 PIN ASS2 CONNECTOR



GENERAL DESCRIPTION

- new design with lighted triangle
- integrated side marker light with reflector
- available end outline marker (in bulb version)
- additional 2x 2 pin ASS2 exits for additional options
- with or without number plate light

DESCRIPTION

Ecopoint II standard left

Ecopoint II standard right

Ecopoint II with outline marker left

Ecopoint II with outline marker right

Ecopoint II with 2x ASS2 left

Ecopoint II with 2x ASS2 right

Ecopoint II with outline marker and 2x ASS2 left

Ecopoint II with outline marker and 2x ASS2 right

Ecopoint II left included LED insert at tail and stop light

Ecopoint II right included LED insert at tail and stop light

Ecopoint II with outline marker bulb version left included LED insert at tail and stop light

Ecopoint II with outline marker bulb version right included LED insert at tail and stop light

Ecopoint II with outline marker LED version left included LED insert at tail and stop light

Ecopoint II with outline marker LED version right included LED insert at tail and stop light



PART NO

25-2800-507

25-2900-507

25-2810-507

25-2910-507

25-2800-517

25-2900-517

25-2810-517

25-2910-517

25-2800-457

25-2900-457

25-2810-457

25-2910-457

25-2820-747

25-2920-747

24V LAMPS REAR LAMPS

SPARE PARTS / ACCESSORIES



DESCRIPTION

Ecopoint II standard left
 Ecopoint II standard right
 Ecopoint II with outline marker left
 Ecopoint II with outline marker right
 Ecopoint II with 2x ASS2 left
 Ecopoint II with 2x ASS2 right
 Ecopoint II with outline marker and 2x ASS2 left
 Ecopoint II with outline marker and 2x ASS2 right
 Ecopoint II left included LED insert at tail and stop light
 Ecopoint II right included LED insert at tail and stop light
 Ecopoint II with outline marker left included LED insert at tail and stop light
 Ecopoint II with outline marker right included LED insert at tail and stop light
 LED insert for tail+stop light left
 LED insert for tail+stop light right
 spare lense Ecopoint II left
 spare lense Ecopoint II right
 end outline marker, short left red/white/orange
 end outline marker, short right red/white/orange
 end outline marker, long left/right red/white/orange
 protection cap Ecopoint II
 bulb end outline marker 24V 4W
 bulb 24V 21W orange
 bulb 24V 10W
 bulb 24V 21W






PART NO

25-2800-501
 25-2900-501
 25-2810-501
 25-2910-501
 25-2800-511
 25-2900-511
 25-2810-511
 25-2910-511
 25-2800-451
 25-2900-451
 25-2810-451
 25-2910-451
 12-1528-001
 12-1529-001
 18-8528-002
 18-8529-002
 31-3303-027
 31-3302-027
 31-3302-104
 15-5277-007
 16-6304-007
 16-6321-607
 16-6310-007
 16-6321-007



* ECOPOINT I LED

WITH TAIL LIGHT AND STOP LIGHT IN LED



GENERAL DESCRIPTION

- universal fitment
- only one spare lens for both sides,
- with or without number plate light
- LED function for tail, stop, direction indicator, fog and reversing lamp available
- easy modifying to LED

DESCRIPTION

left

left with EOM lamp red/white

right

right with EOM lamp red/white



PART NO

25-2200-707

25-2210-707

25-2600-707

25-2610-707

SPARE PARTS / ACCESSORIES



DESCRIPTION

left as spare part

left with EOM red/white as spare part

right as spare part

right with EOM red/white as spare part



PART NO

25-2200-701

25-2210-701

25-2600-701

25-2610-701

WITH TAIL LIGHT, STOP LIGHT AND DIRECTION INDICATOR IN LED



DESCRIPTION

Ecopoint I LED left

Ecopoint I LED left with EOM red/white

Ecopoint I LED right

Ecopoint I LED right with EOM lamp red/white



PART NO

25-2200-717

25-2210-717

25-2600-717

25-2610-717

24V LAMPS REAR LAMPS

* ECOPOINT I LED

WITH TAIL LIGHT, STOP LIGHT, DIRECTION INDICATOR AND FOG LIGHT IN LED



DESCRIPTION

Ecopoint I LED left
Ecopoint I LED left with EOM lamp red/white
Ecopoint I LED right
Ecopoint I LED right with EOM lamp red/white



PART NO

25-2200-727
25-2210-727

25-2600-727
25-2610-727

WITH TAIL LIGHT, STOP LIGHT, DIRECTION INDICATOR, FOG LIGHT AND REVERSING LIGHT IN LED



DESCRIPTION

Ecopoint I LED left
Ecopoint I LED left with EOM lamp red/white
Ecopoint I LED right
Ecopoint I LED right with EOM lamp red/white



PART NO

25-2200-737
25-2210-737

25-2600-737
25-2610-737

SPARE PARTS / ACCESSORIES



DESCRIPTION

spare lens for Ecopoint I incl.
spare filter for the direction indicator function left and right usable
spare lens for end outline marker lamp red/white left and right usable
end outline marker lamp left
end outline marker lamp right
LED insert for direction indicator left
LED insert for direction indicator right
LED insert for tail and stop light left
LED insert for tail and stop light right
LED insert for fog light left
LED reverse insert left
LED fog insert right
LED insert for reverse right
bulb bracket for direction indicator, reverse and fog light
bulb bracket for stop and reverse light



PART NO

18-8522-002




18-8136-007

31-3608-017
31-3608-007
12-1522-014
12-1526-014
12-1522-004
12-1526-004
12-1522-024
12-1522-034
12-1526-024
12-1526-034
14-2522-987
14-2522-997

* please notice the general advice at page 94

ECOPOINT I

WITH 7 PIN ASS2 CONNECTOR



GENERAL DESCRIPTION

- available with all functions in LED
- universal fitment
- only one spare lens for both sides
- with or without number plate light to the bottom
- each bulb is shock absorbed

DESCRIPTION



left
right
left with number plate light
right with number plate light



PART NO

25-2200-007
25-2600-007
25-2201-007
25-2601-007

WITH END OUTLINE MARKER



DESCRIPTION

with end outline marker left
with end outline marker right
with end outline marker left
and number plate light
with end outline marker right
and number plate light



PART NO

25-2210-007
25-2610-007
25-2211-007
25-2611-007

SPARE PARTS / ACCESSORIES



DESCRIPTION

Ecopoint I left as spare part
Ecopoint I right as spare part
Ecopoint I left with end outline marker as spare part
Ecopoint I right with end outline marker as spare part
lens Ecopoint I
usable left and right
lens with end outline marker red/white/orange usable left and right
rubber arm red/white/orange
left completely pre-assembled
rubber arm red/white/orange
right completely pre-assembled
bulb 24V 5W
bulb 24V 21W
bulb 24V 21/5W
bulb for EOM 24V 4W
bulb bracket for direction indicator, reverse and fog
bulb bracket for stop and rear lamp





PART NO

25-2200-001
25-2600-001
25-2210-001
25-2610-001
18-8522-002
18-8136-007
31-3608-017
31-3608-007
16-6305-007
16-6321-007
16-6322-007
16-6304-007
14-2522-987
14-2522-997

ECOPOINT I WITHOUT TRIANGLE

WITH 7 PIN ASS2 CONNECTOR



GENERAL DESCRIPTION

- vertical and horizontal mounting possible
- universal fitment
- only one spare lens for both sides
- with or without number plate light to the bottom
- each bulb is shock absorbed
- two bulbs for tail light

DESCRIPTION


without triangle left
without triangle right
without triangle left with npl
without triangle right with npl



PART NO

25-2000-507
25-2400-507
25-2001-507
25-2401-507

WITH END OUTLINE MARKER



DESCRIPTION

without triangle left with eom
without triangle right with eom
without triangle left with end
outline marker and npl
without triangle right with end
outline marker and npl



PART NO

25-2010-507
25-2410-507
25-2011-507
25-2411-507

SPARE PARTS / ACCESSORIES




DESCRIPTION

without triangle left as spare part
without triangle right as spare part
without triangle left with end
outline marker as spare part
without triangle right with end
outline marker as spare part
lens Ecopoint I usable for left
and right
lens end outline marker red/white/
orange usable for left and right
rubber arm red/white/orange left
completely pre-assembled
rubber arm red/white/orange
right completely pre-assembled
bulb 24V 5W
bulb 24V 21W
bulb 24V 21/5W
bulb for end outline marker 24V
4W








PART NO

25-2000-501
25-2400-501
25-2010-501
25-2410-501
18-8520-002
18-8136-007
31-3608-017
31-3608-007
16-6305-007
16-6321-007
16-6322-007
16-6304-007



* MULTILED

WITH 7 PIN ASS2 MALE CONNECTOR



GENERAL DESCRIPTION

- with all functions in LED (reversing light, stop light, direction indicator and fog light)
- integrated electronics for power control and trailer identification
- with or without side marker lamps in led
- with or without triangle
- with or without 2 pin ASS2 connection

DESCRIPTION

MultiLED with triangle left, with SML, with LCG

MultiLED with triangle right, with SML, with LCG

MultiLED with triangle left, 2 x 2 pin ASS2 connection, with SML, with LCG

MultiLED with triangle right, 2 x 2 pin ASS2 connection, with SML, with LCG



PART NO

24-7400-707

24-7500-707

24-7401-707

24-7501-707

SPARE PARTS / ACCESSORIES

DESCRIPTION

MultiLED with triangle left, with SML, with LCG as spare part






MultiLED with triangle right, with SML, with LCG as spare part

PART NO

24-7400-701

24-7500-701

WITH 7 PIN DIN72585 AMP CONNECTOR



DESCRIPTION

MultiLED with triangle left, with SML, with LCG, 1 x 2 pin ASS2 connection

MultiLED with triangle right, with SML, with LCG 1 x 2 pin ASS2 connection

MultiLED with triangle left, with SML, without LCG, 1 x 2 pin ASS2 connection

MultiLED with triangle right, with SML, without LCG 1 x 2 pin ASS2 connection

MultiLED without triangle left, with SML, with LCG, 1 x 2 pin ASS2 connection

MultiLED without triangle right, with SML, with LCG 1 x 2 pin ASS2 connection



PART NO

24-7430-707

24-7530-707

24-7630-707


24-7730-707

24-7470-707

24-7570-707



MULTIPOINT V LED



GENERAL DESCRIPTION

- compact rear combination lamp with cable glands
- vibration free
- features LED applications: tail and stop light
- function bulb: direction indicator, reverse and fog light
- replaced Multipoint LED

DESCRIPTION

Multipoint V LED with cable glands left

Multipoint V LED with cable glands right



PART NO

24-8504-707

24-8714-707

SPARE PARTS / ACCESSORIES



DESCRIPTION

Multipoint V LED left as spare part

Multipoint V LED right as spare part

lens Multipoint V LED left

lens Multipoint V LED right

LED insert for tail+stop light left 

LED insert for tail+stop light right 

Bulb 24V 5W

Bulb 24V 10W

Bulb 24V 21W

Bulb 24V 21/5W



PART NO

24-8504-701

24-8714-701

18-8485-007

18-8487-007

12-1530-004

12-1531-004

16-6305-007

16-6310-007

16-6321-007


16-6322-007

* MINILED II

DIRECTION INDICATOR-STOP-TAIL-FOG-REVERSE LAMP UNIVERSAL MOUNT



DIRECTION INDICATOR-STOP-TAIL LAMP



DESCRIPTION

0,5 m open end
0,5 m with 7 pin ASS2 +
0,25 m 3 pin ASS3
0,5 m with 8 pin bayonet +
0,25 m 3 pin ASS3




PART NO

33-7200-007

33-7207-007

33-7207-517

FOG-REVERSE LAMP



DESCRIPTION

0,5 m open end
0,5 m with 3 pin ASS3




PART NO

32-7200-007

32-7207-007

REVERSE LAMP



DESCRIPTION

0,5 m open end
0,5 m with 2 pin ASS3




PART NO

38-7200-007

38-7207-007

FOG LAMP



DESCRIPTION

0,5 m open end
0,5 m with 2 pin ASS3




PART NO

37-7200-007

37-7207-007

SPARE PARTS AND ACCESSORIES



DESCRIPTION

Y-cable 3 pin ASS3




PART NO

65-6502-017

24V LAMPS REAR LAMPS

LINEPOINT II SINGLE RESP. DOUBLE FUNCTION LAMP



DESCRIPTION

tail light + stop, 0.5 m open ended cable
360° Homologation

direction indicator, 0.5 m open ended cable,
360° Homologation

fog, 0.5 m open ended cable,
360° Homologation

reverse, 0.5 m open ended cable, vertical

reverse, 0.5 m cable open ended cable, horizontal



PART NO

31-9230-007


31-9231-007

37-9230-007

38-9230-007

38-9231-007

NEW: PROGRESSIVE DIRECTION INDICATOR FOR BETTER TURN SIGNAL VISIBILITY



DESCRIPTION

„progressive direction indicator“ left 0.5 m open ended cable


„progressive direction indicator“ right 0.5 m open ended cable

PART NO

31-9231-207

31-9231-217

LINEPOINT I SINGLE RESP. DOUBLE FUNCTION LAMP



DESCRIPTION

tail light + stop, 0.5 m open ended cable

direction indicator, 0.5 m open ended cable

fog, 0.5 m open ended cable

reverse, 0.5 m open ended cable

3rd brake lamp, 0.5 m open ended cable



PART NO

31-9220-007

31-9221-007

37-9220-007

38-9220-007

31-8920-007

SPARE PARTS / ACCESSORIES

DESCRIPTION

rubber pad for Linepoint I


PART NO

15-5111-407

BRASPOINT 98 MM



TAIL, STOP AND DIRECTION INDICATOR



DESCRIPTION


0.5 m with open ended cable



PART NO

33-9200-007

TAIL, FOG AND REVERSE LAMP HORIZONTAL



DESCRIPTION


0.5 m with open ended cable



PART NO

33-8100-107

TAIL, FOG AND REVERSE LAMP VERTICAL



DESCRIPTION

0.5 m with open ended cable




PART NO

33-8100-007

BRASPOINT 140 MM 12V/24V



TAIL, STOP AND DIRECTION INDICATOR



DESCRIPTION


0.5 m with open ended cable



PART NO

33-9200-207

TAIL, FOG AND REVERSE LAMP



DESCRIPTION

0.5 m with open ended cable



PART NO


33-8100-207

24V LAMPS REAR LAMPS



EUROFAB TAIL, STOP, DIRECTION INDICATOR, FOG AND REVERSE LIGHT

GROMMET VERSION



DESCRIPTION

left without bulbs
left including 12V bulbs
right without bulbs
right including 12V bulbs



PART NO

25-8100-007
25-8100-167
25-8300-007
25-8300-167

SPARE PARTS AND ACCESSORIES



DESCRIPTION

lens including screws

bulb 12V / 10W (tail light 2x)
bulb 12V / 21W
(fog, reverse, stop light and
direction indicator)




PART NO

18-8580-007

16-6110-007
16-6121-007

EARPOINT I

WITH 7 PIN ASS2 CONNECTOR



GENERAL DESCRIPTION

- with or without number plate light
- mounting track or screws for fixation available
- adapted for surface mount version

DESCRIPTION


left
right with reversing lamp
left with end outline marker
red/white
right with reversing lamp and
end outline marker red/white



PART NO

24-4101-007
24-4301-007
24-4151-007
24-4351-007

WITH CABLE GLANDS



DESCRIPTION

left
right
right with reversing lamp
left with end outline marker
red/white
right without reversing lamp and
end outline marker red/white
right with reversing lamp and
end outline marker red/white



PART NO

24-4111-007
24-4313-007
24-4311-007
24-4161-007
24-4363-007
24-4361-007

SPARE PARTS / ACCESSORIES



DESCRIPTION

lens Earpoint left
lens Earpoint right
lens Earpoint right
with reversing lamp
lens end outline marker
red/white
bulb 24V 5W
bulb 24V 21W
bulb 24V 21/5W
bulb for end outline marker
24V 4W



PART NO




18-8440-007
18-8442-007
18-8442-107
18-8136-007
16-6305-007
16-6321-007
16-6322-007
16-6304-007

24V LAMPS REAR LAMPS

* 3 CHAMBER LAMP LED



3 CHAMBER LAMP LED, DOUBLE FUNCTION D= 140 MM (2 x TAIL LAMP, 2 x STOP LAMP)



GENERAL DESCRIPTION

- with tail light, stop light and direction indicator

DESCRIPTION




- with cable glands 11
- with cable glands 16
- left with 0,5 m cable, open end
- right with 0,5 m cable, open end
- left with 0,5 m cable and 7 pin ASS2 connection
- right with 0,5 m cable and 7 pin ASS2 connection



PART NO

- 23-8400-757
- 23-8400-767
- 33-8403-037
- 33-8402-037
- 33-8405-087
- 33-8406-087

3 CHAMBER LAMP LED, SINGLE FUNCTION D= 140 MM (1 x TAIL LAMP, 1 x STOP LAMP)



DESCRIPTION


- with cable glands 11
- with cable glands 16
- left with 0,5 m cable, open end
- right with 0,5 m cable, open end
- left with 0,5 m cable and 7 pin ASS2 connection
- right with 0,5 m cable and 7 pin ASS2 connection



PART NO

- 23-8400-807
- 23-8400-817
- 33-8403-047
- 33-8402-047
- 33-8405-097
- 33-8406-097

FOG LAMP LED D= 140 MM



DESCRIPTION

- with cable glands 11
- with 1,5 m cable and 2 pin ASS2 connection
- with 0,15 m cable and 7 pin ASS2 connection




PART NO

- 27-8400-707
- 37-8407-007
- 37-8407-017

* please notice the general advice at page 94

REVERSE LAMP LED D=140 MM




DESCRIPTION

with cable glands 11
with 1,5 m cable, and
2 pin ASS2 connector
with 0,15 m cable and 7 pin
ASS2 connector



PART NO
28-8400-707
38-8407-007
38-8107-067

FOG-REVERSE LAMP COMBINED LED D=140 MM



DESCRIPTION

with cable glands 11
with 1,5 m cable, and
7 pin ASS2 connection



PART NO
22-7000-707
32-7000-707

SPARE PARTS AND ACCESSORIES



DESCRIPTION

3 chamber lamp LED, double
function with cable glands 11

3 chamber lamp LED, double
function with cable glands 16

3 chamber lamp LED,
single function with cable
glands 11

3 chamber lamp LED,
single function with cable
glands 16

fog lamp LED with cable
glands 11

reverse lamp LED with cable
glands 11

fog-reverse lamp with cable
glands 11

PART NO
23-8400-751

23-8400-761

23-8400-801

23-8400-811

27-8400-701

28-8400-701

22-7000-701

2 VARIANTS OF 3 CHAMBER LAMP KIT ⚠



VARIANT 1

2 pieces 3 chamber lamp LED,
2 x 7 pin ASS2 connector

33-8407-017

2 pieces fog-reverse lamp combined LED
7 pin ASS2 connector

39-7007-007





VARIANT 2

4 pieces 3 chamber lamp LED,
2 x 7 pin ASS 2 connector

33-8407-017

2 pieces fog-reverse lamp combined LED
7 pin ASS 2 connector

39-7007-007




ADDITIONAL INFO

- only at the single function lamps is a double mounting allowed by law (1 x stop lamp and 1 x tail lamp)
- by double mounting of 3 chamber lamps with Aspöck harnesses is the cross wiring included



3 CHAMBER LAMP

3 CHAMBER LAMP D= 140 MM



GENERAL DESCRIPTION

- with tail lamp, stop lamp and direction indicator


DESCRIPTION

- with 8 pin bajonet-connection
- with cable glands 11
- with cable glands 16



PART NO
23-8200-517
23-8200-017
23-8230-007

FOG LAMP D= 140 MM




DESCRIPTION

- with cable glands 9
- with 0,25 m cable ASS2 connection



PART NO
27-8000-027
37-8007-157

REVERSING LAMP D= 140 MM



DESCRIPTION

- with cable glands 9
- with 0,25 m with cable and 2 pin ASS2 connection



PART NO
28-8000-027
38-8007-167

24V LAMPS REAR LAMPS

SPARE PARTS / ACCESSORIES



DESCRIPTION

3 chamber lamp with cable glands 11 as spare part

rear fog lamp with cable glands 9 as spare part

reversing lamp with cable glands 9 as spare part

lens 3 chamber rear light with screws

lens fog lamp with screws

lens reversing lamp with screws

bulb 24V 21W

bulb 24V 5W



PART NO

23-8200-011

27-8000-021

28-8000-021

18-8382-107

18-8780-107

18-8880-107


16-6321-007

16-6305-007

SIDEPOINT WHITE



SURFACE MOUNT VERSION WITH PROTECTION COVER AND P&R CONNECTION



GENERAL DESCRIPTION

- bulb 24V 4W
- protection cap for the connection of the lamp against mechanical pressures
- waterproof, fast and easy bayonet connector

DESCRIPTION

with 0,5 m cable

with 1,0 m cable

with 1,5 m cable



PART NO

31-5004-007


31-5004-027

31-5014-047

ATTENTION!!!

CAP FOR P&R CONNECTOR IS NOT INCLUDED ANY MORE - PLEASE ORDER IN ADDITION, PART NO 15-5971-007

SURFACE MOUNT VERSION WITH STRAIGHT CONNECTOR INCLUDING RUBBER PAD AND P&R CONNECTION



DESCRIPTION

with 0,5 m cable

with 1,5 m cable



PART NO

31-5004-097


31-5004-107

ATTENTION!!!

CAP FOR P&R CONNECTOR IS NOT INCLUDED ANY MORE - PLEASE ORDER IN ADDITION, PART NO 15-5971-007

POSITION LAMPS

FIXATION 90° TO THE FRONT AND P&R CONNECTION



DESCRIPTION

with protection cover 0,5 m




PART NO

31-5064-027

ATTENTION!!!

CAP FOR P&R CONNECTOR IS NOT INCLUDED ANY MORE - PLEASE ORDER IN ADDITION, PART NO 15-5971-007

SLOPING FIXATION 90° AND P&R CONNECTION



DESCRIPTION

with 0,5 m cable
with 1,5 m cable



PART NO

31-5064-067

31-5064-077

SPARE PARTS AND ACCESSORIES



DESCRIPTION

lens including screws

bulb 24V 4 W

complete lamp, surface mount
version, including protection
cover and rubber pad,

complete lamp, fixation 90°,
including protection cover and
rubber pad,
cap for P&R connector



PART NO

21-5000-024

16-6304-007

21-5000-004

21-5000-034


15-5971-007

24V LAMPS POSITION LAMPS



FLATPOINT I WHITE LED

SURFACE MOUNT VERSION WITH STRAIGHT CONNECTION P&R



GENERAL DESCRIPTION

- LED position lamp
- with reflector
- high light output with low current consumption

DESCRIPTION

with 0,5 m cable
with 1,5 m cable
with 3,5 m cable




PART NO

31-6604-077
31-6604-097
31-6604-117

ATTENTION!!!

CAP FOR P&R CONNECTOR IS NOT INCLUDED ANY MORE - PLEASE ORDER IN ADDITION, PART NO 15-5971-007

SURFACE MOUNT VERSION WITH ANGLE CONNECTION P&R



DESCRIPTION

with 0,5 m cable
with 1,5 m cable
with 3,5 m cable




PART NO

31-6614-017
31-6614-037
31-6614-057

ATTENTION!!!

CAP FOR P&R CONNECTOR IS NOT INCLUDED ANY MORE - PLEASE ORDER IN ADDITION, PART NO 15-5971-007

FIXATION 90° TO THE FRONT AND P&R CONNECTION



DESCRIPTION

with 0,5 m cable
with 1,5 m cable
with 3,5 m cable




PART NO

31-6614-077
31-6614-097
31-6614-117

ATTENTION!!!

CAP FOR P&R CONNECTOR IS NOT INCLUDED ANY MORE - PLEASE ORDER IN ADDITION, PART NO 15-5971-007

SLOPING FIXATION 90° AND P&R CONNECTION



DESCRIPTION

with 0,5 m cable
with 1,5 m cable
with 3,5 m cable



PART NO

31-6664-017
31-6664-037
31-6664-057

ATTENTION!!!

CAP FOR P&R CONNECTOR IS NOT INCLUDED ANY MORE - PLEASE ORDER IN ADDITION, PART NO 15-5971-007

SPARE PARTS / ACCESSORIES



DESCRIPTION


loose lens including screws
angled connection 90°
straight bracket complete
fixation 90° including protec-
tion cover, loose parts
surface mount version including
protection cover, loose parts
cap for P&R connector



PART NO


21-6600-014
15-2122-104
15-2122-124
21-6600-004
21-6601-004
15-5971-007

24V LAMPS POSITION LAMPS



FLATPOINT II WHITE LED

SURFACE MOUNT VERSION WITH REFLECTOR AND P&R CONNECTION



GENERAL DESCRIPTION

- LED position lamp
- high light output with low current consumption
- direct cable exit on the backside of the lamp

DESCRIPTION

with 0,5 m cable
with 1,5 m cable
with 3,5 m cable

Dual 1,5 m cable



PART NO

31-6904-017

31-6904-037


31-6904-057

31-6904-137

ATTENTION!!!

CAP FOR P&R CONNECTOR IS NOT INCLUDED ANY MORE - PLEASE ORDER IN ADDITION, PART NO 15-5971-007

SURFACE MOUNT VERSION WITHOUT REFLECTOR AND P&R CONNECTION



DESCRIPTION

with 3,5 m cable



PART NO

31-6904-127

ATTENTION!!!

CAP FOR P&R CONNECTOR IS NOT INCLUDED ANY MORE - PLEASE ORDER IN ADDITION, PART NO 15-5971-007

SURFACE MOUNT VERSION WITH REFLECTOR AND OPEN END



DESCRIPTION

with 0,5 m cable



PART NO

31-6900-017

SURFACE MOUNT VERSION WITH REFLECTOR AND 3 PIN ASS3



DESCRIPTION

with 0,5 m cable
with 1,5 m cable



PART NO


31-6907-027

31-6907-037

FLATPOINT II RED LED



SURFACE MOUNT VERSION WITH REFLECTOR AND P&R CONNECTION



GENERAL DESCRIPTION

- LED position lamp
- high light output with low current consumption
- direct cable exit on the backside of the lamp

DESCRIPTION

with 0,5 m cable




PART NO

31-6404-017

ATTENTION!!!

CAP FOR P&R CONNECTOR IS NOT INCLUDED ANY MORE - PLEASE ORDER IN ADDITION, PART NO 15-5971-007

SURFACE MOUNT VERSION WITHOUT REFLECTOR AND P&R CONNECTION



DESCRIPTION

with 0,5 m cable
with 3,5 m cable



PART NO

31-6404-097
31-6404-127

ATTENTION!!!

CAP FOR P&R CONNECTOR IS NOT INCLUDED ANY MORE - PLEASE ORDER IN ADDITION, PART NO 15-5971-007

SPARE PARTS / ACCESSORIES



DESCRIPTION


rubber pad
fixation 90° to the front
fixation 90° to the back
straight bracket
screws for angle (1 pc)
cap for P&R connector



BEST.NR.


15-5111-007
15-5321-107
15-5321-207
15-5321-007
14-0418-307
15-5971-007

24V LAMPS POSITION LAMPS



UNIPOINT I WHITE LED

WITH REFLECTOR AND P&R CONNECTION



GENERAL DESCRIPTION

- LED position lamp
- high light output with low current consumption
- direct cable exit on the backside of the lamp

DESCRIPTION

with 0,5 m cable
with 1,5 m cable
with 3,5 m cable




PART NO

31-7704-017
31-7704-037
31-7704-057

ATTENTION!!!

CAP FOR P&R CONNECTOR IS NOT INCLUDED ANY MORE - PLEASE ORDER IN ADDITION, PART NO 15-5971-007

WITHOUT REFLECTOR AND P&R CONNECTION



DESCRIPTION

with 0,5 m cable
with 3,5 m cable



PART NO

31-7704-097
31-7704-127

ATTENTION!!!

CAP FOR P&R CONNECTOR IS NOT INCLUDED ANY MORE - PLEASE ORDER IN ADDITION, PART NO 15-5971-007

WITH REFLECTOR AND 2 X 1,5 MM² FLAT CABLE FOR P&R CONNECTION



DESCRIPTION

with 1,0 m cable



PART NO

31-7704-077

WITHOUT REFLECTOR AND 2 X 1,5 MM² FLAT CABLE FOR P&R CONNECTION



DESCRIPTION

with 4,0 m cable



PART NO

31-7704-087

WITH REFLECTOR AND 3 PIN ASS3 CONNECTION



DESCRIPTION

with 0,5 m cable
with 1,5 m cable



PART NO
31-7707-107
31-7707-117

WITHOUT REFLECTOR AND 3 PIN ASS3 CONNECTION



DESCRIPTION

3,5 m cable



PART NO
31-7707-127

UNIPOINT I WHITE VERTICAL WITH REFLECTOR



DESCRIPTION

Vertical version with 1,5 m
P&R



PART NO
31-7704-227

ATTENTION!!!

CAP FOR P&R CONNECTOR IS NOT INCLUDED ANY MORE - PLEASE ORDER IN ADDITION, PART NO 15-5971-007

SPARE PARTS / ACCESSORIES



DESCRIPTION

fixation 90° to the back
straight fixation
sloping angle to the back
sloping angle to the front
expanding rivet for lamp 14-15mm
cap for P&R connector




BEST.NR.
15-5319-007
15-5317-007
15-5317-017
15-5319-307
14-4596-007
15-5971-007

24V LAMPS POSITION LAMPS

UNIPOINT I RED LED

WITH REFLECTOR AND P&R CONNECTION



GENERAL DESCRIPTION

- LED position lamp
- high light output with low current consumption
- direct cable exit on the backside of the lamp

DESCRIPTION


with 0,5 m cable
with 3,5 m cable



PART NO

31-7804-017
31-7804-057

WITHOUT REFLECTOR AND P&R CONNECTION



DESCRIPTION

with 0,5 m cable
with 3,5 m cable



PART NO

31-7804-097
31-7804-127

ATTENTION!!!

CAP FOR P&R CONNECTOR IS NOT INCLUDED ANY MORE - PLEASE ORDER IN ADDITION, PART NO 15-5971-007

WITH REFLECTOR AND FLAT CABLE 2 X 1,5 MM² FOR P&R CONNECTOR



DESCRIPTION

with 1 m flat cable



PART NO

31-7804-077

ATTENTION!!!

CAP FOR P&R CONNECTOR IS NOT INCLUDED ANY MORE - PLEASE ORDER IN ADDITION, PART NO 15-5971-007

WITHOUT REFLECTOR AND FLAT CABLE 2 X 1,5 MM² FOR P&R CONNECTOR



DESCRIPTION

with 4 m flatcable




PART NO

31-7804-087

POSIPOINT II WHITE LED



WITH OPEN END



GENERAL DESCRIPTION

- LED position lamp
- optional housing available
- voltage span: 12V and 24V

DESCRIPTION


with 0,5 m cable
with 3,5 m cable
with 5,0 m cable



PART NO

31-7100-067
31-7100-017
31-7100-007

WITH P&R CONNECTION



DESCRIPTION

with 0,5 m cable
with 1,5 m cable
with 3,5 m cable



PART NO

31-7104-007
31-7104-017
31-7104-027

ATTENTION!!!

CAP FOR P&R CONNECTOR IS NOT INCLUDED ANY MORE - PLEASE ORDER IN ADDITION, PART NO 15-5971-007

SPARE PARTS / ACCESSORIES



DESCRIPTION

housing for Posipoint II
cap for P&R connector



PART NO


15-5609-107
15-5971-007

24V LAMPS POSITION LAMPS

POSIPOINT II RED LED



WITH OPEN END



GENERAL DESCRIPTION

- LED position lamp
- optional housing available
- voltage span: 12V and 24V

DESCRIPTION


- with 0,5 m cable
- with 3,5 m cable
- with 5,0 m cable



PART NO

- 31-7200-067
- 31-7200-017
- 31-7200-007

WITH P&R CONNECTION



DESCRIPTION

- with 0,5 m cable
- with 1,5 m cable
- with 3,5 m cable



PART NO

- 31-7204-007
- 31-7204-017
- 31-7204-027

ATTENTION!!!

CAP FOR P&R CONNECTOR IS NOT INCLUDED ANY MORE - PLEASE ORDER IN ADDITION, PART NO 15-5971-007

SPARE PARTS / ACCESSORIES



DESCRIPTION

- housing for Posipoint II
- cap for P&R connector




PART NO

- 15-5609-107
- 15-5971-007

MONOPOINT II WHITE LED



SLIM, WITH P&R CONNECTION



GENERAL DESCRIPTION

- LED position lamp
- optional housing available
- voltage span: 12V and 24V

DESCRIPTION

with 0,5 m cable
with 1,5 m cable
with 3,5 m cable



PART NO
31-6704-067
31-6704-077
31-6704-087

ATTENTION!!!

CAP FOR P&R CONNECTOR IS NOT INCLUDED ANY MORE - PLEASE ORDER IN ADDITION, PART NO 15-5971-007

SLIM, WITH OPEN END




DESCRIPTION

with 3,5 m cable



PART NO
31-6700-027

DEEP, WITH P&R CONNECTION



DESCRIPTION

with 0,5 m cable
with 1,5 m cable
with 3,5 m cable



PART NO
31-6704-097
31-6704-107
31-6704-117

ATTENTION!!!

CAP FOR P&R CONNECTOR IS NOT INCLUDED ANY MORE - PLEASE ORDER IN ADDITION, PART NO 15-5971-007

DEEP, WITH OPEN END



DESCRIPTION

with 3,5 m cable




PART NO
31-6700-037

24V LAMPS POSITION LAMPS

MONOPOINT II RED LED



SLIM, WITH P&R CONNECTION



GENERAL DESCRIPTION

- LED position lamp
- optional housing available
- voltage span: 12V and 24V

DESCRIPTION

with 0,5 m cable
with 3,5 m cable
with 5,0 m cable



PART NO

31-6804-087
31-6804-067
31-6804-097

ATTENTION!!!

CAP FOR P&R CONNECTOR IS NOT INCLUDED ANY MORE - PLEASE ORDER IN ADDITION, PART NO 15-5971-007

SLIM, WITH OPEN END



DESCRIPTION


with 3,5 m cable



PART NO

31-6800-017

DEEP, WITH P&R CONNECTION



DESCRIPTION

with 3,5 m cable



PART NO

31-6804-077

ATTENTION!!!

CAP FOR P&R CONNECTOR IS NOT INCLUDED ANY MORE - PLEASE ORDER IN ADDITION, PART NO 15-5971-007

DEEP, WITH OPEN END



DESCRIPTION

with 3,5 m cable




PART NO

31-6800-027

SIDE MARKER LAMPS

SIDEPOINT

SURFACE MOUNT VERSION WITH P&R CONNECTION



GENERAL DESCRIPTION

- bulb 24V 4W
- protection cover for connection against mechanical loadings
- water proof, fast and easy bayonet connector
- with reflector

DESCRIPTION

with 0,5 m cable
with 1,5 m cable



PART NO


31-2814-047
31-2814-077



ATTENTION!!!

CAP FOR P&R CONNECTOR IS NOT INCLUDED ANY MORE - PLEASE ORDER IN ADDITION, PART NO 15-5971-007

FIXATION 90° AND P&R CONNECTION



DESCRIPTION

with 0,5 m cable
with 1,5 m cable



PART NO

31-2814-007
31-2814-027

ATTENTION!!!

CAP FOR P&R CONNECTOR IS NOT INCLUDED ANY MORE - PLEASE ORDER IN ADDITION, PART NO 15-5971-007

SPARE PARTS / ACCESSORIES



DESCRIPTION

bulb 24V 4 W
loose yellow lens
complete single built-in lamp,
in plastic bag
complete single surface
mounting lamp, in plastic bag
complete bulb connection in
plastic bag
single housing for angle fixati-
on with protection cover
single built-in housing with
protection cover
cap for P&R connector





PART NO

16-6304-007
21-2800-007
21-2801-004
21-2800-014
15-2128-524
15-2128-277
15-2128-167
15-5971-007

24V LAMPS SIDE MARKER LAMPS

FLATPOINT I LED

SURFACE MOUNT VERSION WITH P&R CONNECTION



GENERAL DESCRIPTION

- with reflector
- high light output with low current consumption
- flat lens

DESCRIPTION

with 0,5 m cable
with 1,0 m cable
with 1,5 m cable




PART NO

31-2214-117
31-2214-127
31-2214-137

ATTENTION!!!

CAP FOR P&R CONNECTOR IS NOT INCLUDED ANY MORE - PLEASE ORDER IN ADDITION, PART NO 15-5971-007

FIXATION 90° TO THE FRONT WITH P&R CONNECTION



DESCRIPTION

with 0,5 m cable
with 1,0 m cable
with 1,5 m cable




PART NO

31-2214-017
31-2214-027
31-2214-037

ATTENTION!!!

CAP FOR P&R CONNECTOR IS NOT INCLUDED ANY MORE - PLEASE ORDER IN ADDITION, PART NO 15-5971-007

FIXATION 90° WITH SLOPING BRACKET TO THE BACK AND P&R CONNECTION



DESCRIPTION

with 0,5 m cable
with 1,0 m cable
with 1,5 m cable



PART NO

31-2264-017
31-2264-027
31-2264-037

ATTENTION!!!

CAP FOR P&R CONNECTOR IS NOT INCLUDED ANY MORE - PLEASE ORDER IN ADDITION, PART NO 15-5971-007

SPARE PARTS / ACCESSORIES



DESCRIPTION

loose lens, screws included
complete lamp with protection cap and connection
complete lamp with angle and connection
angled connection 90° complete
angled sloping connection 90° complete
straight connection complete cap for P&R connector



PART NO

21-2200-004
21-2201-004


21-2200-014

15-2122-104
15-2128-144

15-2122-124
15-5971-007

FLATPOINT II LED

SURFACE MOUNT VERSION WITH P&R CONNECTION



GENERAL DESCRIPTION

- with reflector
- high light output with low current consumption
- direct cable exit on the backside of the lamp
- flat lens

DESCRIPTION

with 0,5 m cable
with 1,5 m cable

with 1,5 m cable



PART NO


31-2304-017
31-2304-037

31-2304-097

ATTENTION!!!

CAP FOR P&R CONNECTOR IS NOT INCLUDED ANY MORE - PLEASE ORDER IN ADDITION, PART NO 15-5971-007

FIXATION 90° FRONT AND P&R CONNECTION



DESCRIPTION

with 0,5 m cable
with 1,5 m cable



PART NO


31-2364-017
31-2364-037

ATTENTION!!!

CAP FOR P&R CONNECTOR IS NOT INCLUDED ANY MORE - PLEASE ORDER IN ADDITION, PART NO 15-5971-007

24V LAMPS SIDE MARKER LAMPS

FIXATION 90° BACK AND P&R CONNECTION



DESCRIPTION

with 0,5 m cable
with 1,5 m cable



PART NO
31-2364-087
31-2364-107

ATTENTION!!!

CAP FOR P&R CONNECTOR IS NOT INCLUDED ANY MORE - PLEASE ORDER IN ADDITION, PART NO 15-5971-007

SURFACE MOUTN VERSION WITH 3 PIN ASS3 CONNECTION



DESCRIPTION

with 1,5 m cable



PART NO
31-2307-017

FIXATION 90° BACK AND 3 PIN ASS3 CONNECTION



DESCRIPTION

with 1,5 m cable



PART NO
31-2367-037

FIXATION 90° FRONT AND 3 PIN ASS3 CONNECTION



DESCRIPTION

with 1,5 m cable



PART NO
31-2367-057

SPARE PARTS / ACCESSORIES



DESCRIPTION

rubber pad
fixation 90° to the front
fixation 90° to the back
straight bracket
screw for angle (1 piece)
caps for P&R connector





PART NO

15-5111-007
15-5321-107
15-5321-207
15-5321-007
14-0418-307
15-5971-007

UNIPOINT I LED

SURFACE MOUNT VERSION PRE-ASSEMBLED WITH P&R CONNECTION



GENERAL DESCRIPTION

- with reflector
- high light output with low current consumption
- with ASS1/ASS2 connection on the backside of the lamp

DESCRIPTION

with 0,5 m cable
with 1,5 m cable




PART NO

31-2004-017
31-2004-037

ATTENTION!!!

CAP FOR P&R CONNECTOR IS NOT INCLUDED ANY MORE - PLEASE ORDER IN ADDITION, PART NO 15-5971-007

FIXATION 90° BACK PRE-ASSEMBLED WITH P&R CONNECTION



DESCRIPTION

with 0,5 m cable
with 1,5 m cable



PART NO


31-2064-017
31-2064-037

ATTENTION!!!

CAP FOR P&R CONNECTOR IS NOT INCLUDED ANY MORE - PLEASE ORDER IN ADDITION, PART NO 15-5971-007

24V LAMPS SIDE MARKER LAMPS

FIXATION 90° FRONT PRE-ASSEMBLED WITH P&R CONNECTION



DESCRIPTION
with 0,5 m cable
with 1,5 m cable




PART NO
31-2064-717
31-2064-737

ATTENTION!!!

CAP FOR P&R CONNECTOR IS NOT INCLUDED ANY MORE - PLEASE ORDER IN ADDITION, PART NO 15-5971-007

FIXATION SLOPING ANGLE PRE-ASSEMBLED WITH P&R CONNECTION



DESCRIPTION
with 0,5 m cable
with 1,5 m cable




PART NO
31-2064-217
31-2064-237

ATTENTION!!!

CAP FOR P&R CONNECTOR IS NOT INCLUDED ANY MORE - PLEASE ORDER IN ADDITION, PART NO 15-5971-007

FIXATION STRAIGHT PRE-ASSEMBLED WITH P&R CONNECTION



DESCRIPTION
with 0,5 m cable
with 1,5 m cable



PART NO
31-2064-417
31-2064-437

ATTENTION!!!

CAP FOR P&R CONNECTOR IS NOT INCLUDED ANY MORE - PLEASE ORDER IN ADDITION, PART NO 15-5971-007

SURFACE MOUNT VERSION WITH 3 PIN ASS3 CONNECTION



DESCRIPTION
with 0,5 m cable
with 1,5 m cable



PART NO
31-2007-237
31-2007-247

FIXATION 90° BACK AND 3PIN ASS3 CONNECTION



DESCRIPTION

with 0,5 m cable
with 1,5 m cable



PART NO

31-2067-097
31-2067-107

FIXATION 90° FRONT AND 3PIN ASS3 CONNECTION



DESCRIPTION

with 1,5 m cable



PART NO

31-2067-697

UNIPOINT I VERTICAL WITH REFLECTOR AND P&R CONNECTION



DESCRIPTION

Vertical version with
1,5 m cable



PART NO

31-2004-107

ATTENTION!!!

CAP FOR P&R CONNECTOR IS NOT INCLUDED ANY MORE - PLEASE ORDER IN ADDITION, PART NO 15-5971-007

SPARE PARTS / ACCESSORIES



DESCRIPTION

Lens loose
Lens loose incl. fixation 90°
to the back
Lens loose incl. sloping angle
to the back
connection loose single grommet
connection loose double grommet
front cable supply for Unipoint
with 0,25 m P&R
fixation 90° back
straight bracket
sloping angle to the back
sloping angle to the front
expanding rivet for lamp 14-15mm
cap for P&R connector



PART NO


21-2000-004
21-2000-014
21-2000-024
15-5624-014
15-5624-024
68-5018-007
15-5319-007
15-5317-007
15-5317-017
15-5319-307
14-4596-007
15-5971-007

24V LAMPS END OUTLINE MARKER LAMPS



SUPERPOINT II

VERSION STANDARD WITH P&R CONNECTION



GENERAL DESCRIPTION

- water proof double chamber system in the lens
- moisture or salt water is not able to progress to the contact area after a mechanical defect – no loss of the lighting system
- flexible fitting arm (rubber)
- with integrated side marker lamp

DESCRIPTION

red/white left with 1,25 m cable
red/white right with 1,25 m cable



PART NO
31-3404-017
31-3404-007

STANDARD VERSION WITH ASS1 CONNECTION




DESCRIPTION

red/white left with 1,75 m cable
red/white right with 1,75 m cable



PART NO
31-3405-007
31-3406-007

SHORT VERSION WITH P&R CONNECTION



DESCRIPTION

red/white, left/right usable
with 1,5 m cable



PART NO
31-3704-017

SHORT VERSION WITH ASS1 CONNECTION




DESCRIPTION

red/white, left/right usable
1,75 m cable



PART NO
31-3707-027

EARPOINT VERSION WITH P&R CONNECTION




DESCRIPTION

red/white left with 1,25 m cable
red/white right with 1,25 m cable



PART NO
31-3804-017
31-3804-007

ECOPOINT VERSION WITH P&R CONNECTION



DESCRIPTION

red/white left with 1,25 m cable
red/white right with 1,25 m cable



PART NO
31-3604-057
31-3604-047

ECOPOINT VERSION WITH ASS1 CONNECTION




DESCRIPTION

red/white left with 1,75 m cable
red/white right with 1,75 m cable



PART NO
31-3605-007
31-3606-007

VERSION STANDARD WITH 3 PIN ASS3 CONNECTION



DESCRIPTION

red/white right with 1,25 m cable
red/white left with 1,25 m cable



PART NO
31-3406-067
31-3405-077

SPARE PARTS / ACCESSORIES



DESCRIPTION

Lens red/white/orange
Lens black/white/orange
Bulb connection inkl.
Bulb and 0,5 m cable
angle bracket for end outline
marker
bulb 24V 4W
cap for P&R connector




PART NO
18-8136-007
18-8137-007
31-2800-007
15-5313-007
16-6304-007
15-5971-007



SUPERPOINT III LED

STANDARD VERSION WITH P&R CONNECTION



GENERAL DESCRIPTION

- end outline marker in clear glass design complete in LED
- flexible fitting arms (rubber) in different designs
- lamp includes side marker lamp

DESCRIPTION

red/white/orange left,
with 1,25 m cable
red/white/orange right,
with 1,25 m cable
black/white/orange left,
with 1,25 m cable
black/white/orange right,
with 1,25 m cable



PART NO
31-3304-047
31-3304-057
31-3304-067
31-3304-077

ATTENTION!!!

CAP FOR P&R CONNECTOR IS NOT INCLUDED ANY MORE - PLEASE ORDER IN ADDITION, PART NO 15-5971-007

STANDARD VERSION WITH ASS2 CONNECTION



DESCRIPTION

red/white/orange left,
with 1,75 m cable
red/white/orange right,
with 1,75 m cable
black/white/orange left,
with 1,75 m cable
black/white/orange right,
with 1,75 m cable



PART NO
31-3305-017
31-3306-017
31-3305-027
31-3306-027

STANDARD VERSION, OPEN END




DESCRIPTION

red/white/orange left,
with 4 m cable
red/white/orange right,
with 4 m cable
black/white/orange left,
with 4 m cable
black/white/orange right,
with 4 m cable



PART NO
31-3303-007
31-3302-007
31-3303-017
31-3302-017

VERSION DIRECT MOUNTING WITH P&R CONNECTION



DESCRIPTION

red/white/orange left/right 1,5 m cable
black/white/orange left/right 1,5 m cable



PART NO

31-3364-007

31-3364-017

ATTENTION!!!

CAP FOR P&R CONNECTOR IS NOT INCLUDED ANY MORE - PLEASE ORDER IN ADDITION, PART NO 15-5971-007

VERSION DIRECT MOUNTING, OPEN END



DESCRIPTION

red/white/orange left/right 4 m cable
black/white/orange left/right 4 m cable




PART NO

31-3360-007

31-3360-017

VERSION WITH PENDULAR BRACKET, P&R CONNECTION



DESCRIPTION

red/white/orange left 1,5 m cable
red/white/orange right 1,5 m cable
black/white/orange left 1,5 m cable
black/white/orange right 1,5 m cable



PART NO

31-3364-057

31-3364-027

31-3364-047

31-3364-037

ATTENTION!!!

CAP FOR P&R CONNECTOR IS NOT INCLUDED ANY MORE - PLEASE ORDER IN ADDITION, PART NO 15-5971-007

VERSION WITH PENDULAR BRACKET, OPEN END



DESCRIPTION

red/white/orange left 4 m cable
red/white/orange right 4 m cable
black/white/orange left 4 m cable
black/white/orange right 4 m cable



PART NO

31-3365-017


31-3366-027

31-3365-027

31-3366-017

24V LAMPS END OUTLINE MARKER LAMPS

STRAIGHT VERSION WITH P&R CONNECTION



DESCRIPTION

red/white/orange right/left
P&R 1,25 m cable
black/white/orange right/left
P&R 1,25 m cable



PART NO
31-3304-097
31-3304-087

ATTENTION!!!

CAP FOR P&R CONNECTOR IS NOT INCLUDED ANY MORE - PLEASE ORDER IN ADDITION, PART NO 15-5971-007

STRAIGHT VERSION WITH ASS2 CONNECTION



DESCRIPTION

red/white/orange right/left
1,75 m cable
black/white/orange right/left
1,75 m cable



PART NO
31-3307-017
31-3307-007

STRAIGHT VERSION, OPEN END




DESCRIPTION

red/white/orange right/left
4 m cable
black/white/orange right/left
4 m cable



PART NO
31-3300-247
31-3300-317

STANDARD VERSION WITH 3 PIN ASS3



DESCRIPTION

red/white/orange right, with
1,25 m cable
black/white/orange right, with
1,25 m cable
red/white/orange left, with
1,25 m cable
black/white/orange left, with
1,25 m cable



PART NO
31-3306-127
31-3306-167
31-3305-127
31-3305-167

SPARE PARTS / ACCESSORIES



DESCRIPTION

Superpoint III LED Lens red/
white/orange 4 m open end
Superpoint III LED Lens black/
white/orange 4 m open end
Superpoint III rubber arm lose
(standard version)
Superpoint III rubber arm lose
(straight version)
Superpoint III rubber arm lose
(direct mounting)
Superpoint III rubber arm lose
(pendant bracket)
cap for P&R connector




PART NO
21-3351-707
21-3350-707
21-3300-007
21-3302-007
15-5325-007
15-5325-107
15-5971-007

SUPERPOINT IV LED



VERSION STANDARD WITH P&R CONNECTION



GENERAL DESCRIPTION

- end outline marker in clear glass design complete in LED
- flexible fitting arms (rubber)
- lamp includes side marker lamp

DESCRIPTION

red/white/orange left,
with 2 m cable

red/white/orange right,
with 2 m cable



PART NO

31-3104-007

31-3104-017

ATTENTION!!!

CAP FOR P&R CONNECTOR IS NOT INCLUDED ANY MORE - PLEASE ORDER IN ADDITION, PART NO 15-5971-007

VERSION STANDARD WITH ASS2 CONNECTION



BDESCRIPTION

red/white/orange left,
with 2 m cable

red/white/orange right,
with 2 m cable

red/withe/orange left
with 0.5 m cable

red/white/orange right
with 0.5 m cable



PART NO

31-3105-007

31-3106-007


31-3105-017

31-3106-017

24V LAMPS END OUTLINE MARKER LAMPS

FLEXIPOINT I

FLEXIPOINT RED/WHITE WITH P&R CONNECTION



GENERAL DESCRIPTION

- festoon bulb 5 Watt - shock proof
- cable entry with rubber grommet
- lens double screwed
- flexible mounting possibilities
- bracket in various mounting possibilities

DESCRIPTION

with 0,5 m cable




PART NO

31-6504-177

ATTENTION!!!

CAP FOR P&R CONNECTOR IS NOT INCLUDED ANY MORE - PLEASE ORDER IN ADDITION, PART NO 15-5971-007

WITH BRACKET AND P&R CONNECTION



DESCRIPTION

left 0,5 m cable
right 0,5 m cable
left 1,5 m cable
right 1,5 m cable



PART NO

31-6564-077
31-6564-067
31-6564-157
31-6564-147

ATTENTION!!!

CAP FOR P&R CONNECTOR IS NOT INCLUDED ANY MORE - PLEASE ORDER IN ADDITION, PART NO 15-5971-007

SPARE PARTS / ACCESSORIES



DESCRIPTION

Flexipoint red/white loose in plastic bag
Flexipoint red/white loose with bracket in plastic bag
bracket
90° bracket
turnable flat bracket
flexible straight rubber holder
sloping holder
festoon 24V 5W
cap for P&R connector




PART NO

21-6513-007
21-6513-217
15-5310-107
15-5318-007
15-5316-007
15-5312-107
15-5314-107
16-6705-007
15-5971-007

NUMBER PLATE LAMPS

REGPOINT

WITH P&R CONNECTION



GENERAL DESCRIPTION

- number plate light with modern design
- festoon bulb 5W - shock proof
- cable glands as cable entry on the bottom of the lamp
- various mounting options

DESCRIPTION

- with 0,5 m cable
- with 1,0 m cable
- with 3,5 m cable



PART NO

36-3004-017
36-3004-027
36-3004-057



ATTENTION!!!

CAP FOR P&R CONNECTOR IS NOT INCLUDED ANY MORE - PLEASE ORDER IN ADDITION, PART NO 15-5971-007

WITH ASS2 CONNECTION



DESCRIPTION

- with 0,5 m cable
- with 1,0 m cable
- with 2,5 m cable



PART NO

36-3007-007
36-3007-057
36-3007-047

WITH 3 PIN. ASS3 CONNECTION



DESCRIPTION

- with 0,5 m cable



PART NO

36-3007-397

SPARE PARTS / ACCESSORIES



DESCRIPTION

- complete lamp with cable glands in plastic bag
- festoon bulb 24V 5W
- cup for P&R connector





PART NO

26-3000-004
16-6705-007
15-5971-007

24V LAMPS NUMBER PLATE LAMPS

REGPOINT RED



GENERAL DESCRIPTION

- number plate light with modern design
- festoon bulb 5W - shock proof
- cable glands as cable entry on the bottom of the lamp
- red lens - ATTENTION: note legal regulations
- various mounting options

DESCRIPTION


Lamp red complete with cable glands



PART NO

26-3010-004

SPARE PARTS / ACCESSORIES



DESCRIPTION

transparent red lens

Festoon bulb 24V 5W




PART NO


18-8630-104

16-6705-007

REGPOINT II LED NUMBER PLATE LIGHT LED



STANDARD



DESCRIPTION

P&R, 0.5 m

P&R, 2.0 m

ASS2, 0.5 m

ASS2, 2.0 m

ASS3, 0.5 m



PART NO

36-3804-007


36-3804-017

36-3806-007

36-3805-007

36-3810-007

FOR SINGLE MOUNTING



DESCRIPTION

P&R, 0.5 m

P&R, 2.0 m

ASS2, 0.5 m

ASS2, 2.0 m

ASS3, 0.5 m



PART NO

36-3864-007

36-3864-017

36-3867-017


36-3867-027

36-3865-007

REGPOINT LED



WITH P&R CONNECTION



GENERAL DESCRIPTION

- LED number plate light
- same dimensions like the bulb version
- high light yield with 2 LEDs
- cable and lightning devices are shed

DESCRIPTION

with 0,5 m cable
with 1,0 m cable
with 3,5 m cable



PART NO

36-3604-007
36-3604-017
36-3604-027

ATTENTION!!!

CAP FOR P&R CONNECTOR IS NOT INCLUDED ANY MORE - PLEASE ORDER IN ADDITION, PART NO 15-5971-007

WITH 2 PIN ASS2 CONNECTOR



DESCRIPTION

with 0,5 m cable
with 1,0 m cable
with 3,5 m cable



PART NO

36-3607-007
36-3607-017
36-3607-027

SPARE PARTS / ACCESSORIES




DESCRIPTION

cap for P&R connector

PART NO

15-5971-007

REGPOINT SMALL



DESCRIPTION

with 0,5 m with P&R



PART NO

36-1204-037

ATTENTION!!!

CAP FOR P&R CONNECTOR IS NOT INCLUDED ANY MORE - PLEASE ORDER IN ADDITION, PART NO 15-5971-007

SPARE PARTS / ACCESSORIES



DESCRIPTION

cap for P&R connector




PART NO

15-5971-007

24V LAMPS NUMBER PLATE HOLDER

NUMBER PLATE HOLDER LED

VERSION WITH P&R CONNECTION WITHOUT 3RD STOP LIGHT



GENERAL DESCRIPTION

- fitting for each european number plates (except UK)
- integrated LED lighting on both sides
- simple mounting
- dimensions (633 x 150 x 60 mm)
- only 1 connection for both lamps

DESCRIPTION

- with 0,5 m P&R
- with 1,0 m P&R
- with 3,5 m P&R



PART NO
36-3764-007
36-3764-017
36-3764-027

ATTENTION!!!

CAP FOR P&R CONNECTOR IS NOT INCLUDED ANY MORE - PLEASE ORDER IN ADDITION, PART NO 15-5971-007

VERSION WITH ASS2 CONNECTION WITHOUT 3RD STOP LIGHT




DESCRIPTION

- with 0,5 m flat cable
- with 1,0 m flat cable
- with 3,5 m flat cable



PART NO
36-3767-007
36-3767-017
36-3767-027

VERSION OPEN END WITH 3RD STOP LIGHT



DESCRIPTION

- with 3,5 m cable without 3rd stop light
- with 3,5 m cable and 3rd stop light 2,0 m cable open end



PART NO
36-3760-007
36-3760-017

SPARE PARTS / ACCESSORIES



DESCRIPTION


- 3rd stop light 2,0 m cable open end
- cap for P&R connector



PART NO
31-8900-027
15-5971-007

ADDITIONAL BRAKE LIGHTS

NUMBER PLATE PAD



GENERAL DESCRIPTION

- fixation of the number plate with flexible rubber holder
- for single-line and double-line number plates

DESCRIPTION

number plate pad
520 x 120 x 28 mm

number plate pad „Version
UK“, 345 x 256 x 28 mm

number plate pad, 345 x 256
x 28 mm including number
plate light with 1 m P&R



PART NO
15-5392-017

15-5398-507

87-1272-004

SPARE PARTS / ACCESSORIES


DESCRIPTION

bracket for Regpoint Lamp
3rd stop light 2 m open end




PART NO
15-5398-067
31-8900-027

3RD STOP LIGHT




surface mount version



version incl. housing



surface mounting version



GENERAL DESCRIPTION

- various mounting possibilities
- increasing safety in traffic
- compact dimensions

DESCRIPTION

surface mount version with 0,5
m open end

surface mount version with 2,0 m
ASS1 connection

including housing with 0,5 m
open end

including surface-case with
2,0 m open end



PART NO
31-8900-017


31-8907-007

31-8910-017

31-9000-057

FLASHPOINT

ROTATING BEACON



DESCRIPTION


orange, bulb, 3 bolt, 3 amps,
150 flashes / min

orange, bulb, DIN pole mount




PART NO
29-9002-007

29-9006-007



ROTATING BEACON WITH SPIRAL CABLE AND PLUG



DESCRIPTION

orange, bulb, magnetic,
3 amps, 150 flashes / min



PART NO
39-9000-407

SPARE PARTS AND ACCESSORIES

DESCRIPTION




DIN pole mount straight
spare lens



PART NO
14-4370-007
18-2990-127

FLASHPOINT

XENON BEACON



DESCRIPTION

orange, xenon, 3 bolt,
1,5 / 0,7 amps, 120 flashes / min

orange, xenon, DIN pole mount,
1,5 / 0,7 amps, 120 flashes / min




PART NO

29-9007-007

29-9009-007

XENON BEACON WITH SPIRAL CABLE AND PLUG



DESCRIPTION

orange, xenon, magnetic,
1,5/0,7 amps, 120 flashes/min



PART NO

39-9000-807

SPARE PARTS AND ACCESSORIES

DESCRIPTION

DIN pole mount straight
spare xenon tube





PART NO

14-4370-007

18-2990-147

WORKING LAMP LED

WORKPOINT LED 650



GENERAL DESCRIPTION

- long life expectancy
- very low current consumption
- water and steam resistant
- standard mounting
- all purpose (near field lighting and spot lighting)
- overheating protection
- ~650 lumen

DESCRIPTION


2,5 m open end
2,5 m ASS2





PART NO

39-6400-017

39-6407-007



WORKPOINT LED 800



GENERAL DESCRIPTION

- long life expectancy
- very low current consumption
- water and steam resistant
- standard mounting
- all purpose (near field lighting and spot lighting)
- overheating protection
- ~800 lumen

DESCRIPTION


2,5 m open end
2,5 m ASS2



PART NO


39-6800-017

39-6807-007



WORKING LAMP LED

WORKPOINT LED 3000



GENERAL DESCRIPTION

- long life expectancy
- high light output
- very low current consumption
- Temperatur range of -40 °C ~ 80 °C
- steam and water resistant
- standard mounting
- die-cast aluminium for maximum heat dissipation
- ~3000 lumen

DESCRIPTION

1.5 m open ended cable,
spot beam (20°)

1.5 m open ended cable,
flood beam (60°)



PART NO


38-8221-007

38-8221-107



WORKING LAMP LED / REVERSE LAMP LED

WORKPOINT LED 1500



GENERAL DESCRIPTION

- admitted to the reversing light
- long life expectancy
- high light output
- very low current consumption
- Temperatur range of -40 °C ~ 80 °C
- steam and water resistant
- standard mounting
- die-cast aluminium for maximum heat dissipation
- ~1500 lumen

DESCRIPTION

1.5 m open ended cable



PART NO

38-8220-007




24V LAMPS

WORKING LAMP REVERSING LAMP

WORKING LIGHT - REVERSING LIGHT



21 W



GENERAL DESCRIPTION

- according to the new guidelines it is able to be mounted as working light as well as reversing light
- large high light output in spite of compact dimensions
- swinging socket
- in 21W version and 70W version available

DESCRIPTION


21W with 1,5 m ASS2
21W with 2,5 m ASS2
21W with 2,5 m open end



PART NO

38-9007-007
38-9007-017
38-9000-007

70 W



DESCRIPTION

70W H3 with 1,5 m ASS2
70W H3 with 2,5 m ASS2
70W H3 with 2,5 m open end



PART NO

38-9107-007
38-9107-017
38-9100-007

SPARE PARTS AND ACCESSORIES

DESCRIPTION


reverse 70 W - as spare part
incl. 24V 70W H3 lamp



PART NO

28-9100-007

REVERSING LAMP LED OVAL



GENERAL DESCRIPTION

- very low current consumption
- temperature range from -40°C to +80°C
- water and steam resistant
- maintenance free and long life expectancy (approx. 20,000 hours) due to LED technology
- dual voltage 12V / 24V
- high gloss reflector
- light emission 150 x 82 mm
- permitted according to ECE48/ADR
- 200 lumen

DESCRIPTION


2,5 m open end
2,5 m with 2 pin ASS2



PART NO

38-8200-007
38-8207-007


10 grad Neigungswinkel
10 degree tilt angel



64 lux
32 lux
16 lux
8 lux
4 lux
2 lux
1.5 lux

INPOINT III LED

LED INTERIOR LAMP



GENERAL DESCRIPTION

- long life expectancy
- high light output
- very low current consumption
- lens in frosted optic
- standard mounting
- dual voltage
- optional with switch, or motion sensor (PIR Sensor)

DESCRIPTION

interior lamp LED short, 0.3 m cable open end

interior lamp LED short, with switch, 0.3 m cable open end

interior lamp LED short, with motion sensor, 0.3 m cable open end

interior lamp LED long, 0.3 m cable open end


interior lamp LED long, with switch, 0.3 m cable open end

interior lamp LED long, with motion sensor, 0.3 m cable open end

interior lamp LED round, 0.3 m cable open end

interior lamp LED round, with switch, 0.3 m cable open end

interior lamp LED round, with motion sensor, 0.3 m cable open end



PART NO

39-8900-157

39-8900-257

39-8900-207

39-8900-007

39-8900-107


39-8900-057

39-8900-307

39-8900-407

39-8900-357

LED-INTERIOR LAMP



GENERAL DESCRIPTION

- high-power LEDs for a high output
- compact dimensions
- easy mounting
- universal using

DESCRIPTION

- with 0,25 m P&R
- with 1,50 m P&R
- with 1,50 m open end




PART NO

- 39-8704-007
- 39-8704-017
- 39-8700-017

ATTENTION!!!

CAP FOR P&R CONNECTOR IS NOT INCLUDED ANY MORE - PLEASE ORDER IN ADDITION, PART NO 15-5971-007

INTERIOR LAMP LED RUND



GENERAL DESCRIPTION

* ADR Zone 2 - only with additional isolated tube

- very low current consumption
- high grade LED, 20 pieces
- maintenance free and long life expectancy
- splash proof
- dual voltage 12V / 24V

DESCRIPTION

interior lamp LED round open end, including plate



PART NO

29-8410-007

24V Standard Wiring Systems







24V STANDARD WIRING SYSTEMS

FRONT CONNECTION

FRONT CONNECTION WITH 17 PIN ASS3 CONNECTOR



DESCRIPTION

4,8 m and 15 pin plug,
version ADR

4,8 m and N+S plug

0,6 m cable and 15 pin
socket, version ADR

0,6 m and N+S socket

N+S and 15 pin socket



PART NO
53-1667-037

58-6024-017


53-6768-007

58-6649-007

58-6647-007

MAIN CABLES

MAIN CABLE WITH 17 PIN ASS3 CONNECTION, VERSION ADR



DESCRIPTION


9 m 6 x 1 + 2 x 2,5 mm²
12,5 m 6 x 1 + 2 x 2,5 mm²
15 m 6 x 1 + 2 x 2,5 mm²
9 m 7 x 1 + 1 x 1,5 + 2 x 2,5 mm²
12,5 m 7 x 1 + 1 x 1,5 + 2 x 2,5 mm²
15 m 7 x 1 + 1 x 1,5 + 2 x 2,5 mm²
9,0 m 12 x 1 + 3 x 2,5 mm²
12,5 m 12 x 1 + 3 x 2,5 mm²
15 m 12 x 1 + 3 x 2,5 mm²



PART NO
65-1003-007
65-1003-017
65-1003-027
65-1005-007
65-1005-017
65-1005-027
65-1007-007
65-1007-017
65-1007-027

SML-LOOM / FLAT CABLE

FLATCABLE, 2 x 1,5MM², FOR P&R CONENCTION, VERSION ADR



DESCRIPTION

13 m cable, ASS1
15 m cable, ASS1
16 m cable, ASS1
17 m cable, ASS1



PART NO

68-7503-007
68-7503-017
68-7503-177
68-7503-027

SML-LOOM WITH 3 PIN ASS3 CONNECTIONS, VERSION ADR



DESCRIPTION

with 6 x ASS3 3 pin. + 1 x ASS2



with 5 x ASS3 3 pin. + 1 x ASS2




PART NO

87-1285-007

87-1284-007

REAR SUPPLY CABLE



DESCRIPTION

ADR version




PART NO

68-4983-007

24V STANDARD WIRING SYSTEMS

ADAPTER CABLES

ADAPTER CABLE WITH 17 PIN ASS3 CONNECTION, VERSION ADR




DESCRIPTION

8 core cable with single connection for brake




PART NO

66-8892-007




9 core cable with double connection for reverse and rear fog

66-8893-007




Y-cable 3pin ASS3

65-6499-007




extension for SML chain
eg: 87-1288-007

87-1286-007



9 core cable with double connection for reverse

65-6101-027



Adapter for double lighting

68-4980-037

EXTENSION CABLE



DESCRIPTION

extension cable 3 pin ASS3
0,5 m



PART NO

65-1499-007



extension cable 3 pin ASS3
1,5 m

65-1499-017

24V Junction Boxes






24V JUNCTION BOXES SOCKET JUNCTION BOX

SOCKET JUNCTION BOX

3-SOCKET JUNCTION BOX



GENERAL DESCRIPTION

- pre-assembled multifunction housing
 - 1) socket ISO 1185
 - 2) socket ISO 3731
 - 3) socket ISO 12098
- Interchangeable housings in bayonet version ISO 1185, 3731, and 12098
- 5 pins (cable glands or 2 pin ASS2 connection)
- not ADR tested

DESCRIPTION

0,6 m 17 pin ASS3 connector
0,6 m 15 pin bayonet connector



PART NO


76-7037-007
76-7002-007

Important notice regarding the 3-socket junction box:

Caution: ADR vehicles (Carriage of Dangerous Goods) may only use the 15 pin connector (ISO 12098)! Do not use the other available sockets! There is danger of fire and explosion and danger to life!

This would be the way to make the 3-socket junction box suitable for an ADR Zone 2 usage:


To use the 3-socket junction box for ADR, please fit the safety caps into the ISO 1185 and ISO 3731 sockets



2 pc. safety caps for ISO 1185 and ISO 3731 sockets

15-5280-154

1-SOCKET JUNCTION BOX



GENERAL DESCRIPTION

- pre-assembled multifunction housing ISO 12098
- Interchangeable housings in bayonet version ISO 12098
- 5 pins (cable glands or 2 pin ASS2 connection)


DESCRIPTION

0,6 m 17 pin ASS3 connector




PART NO

76-7072-007



SPARE PARTS / ACCESSORIES



DESCRIPTION

2 pc. safety caps for ISO 1185 and ISO 3731 sockets

pre-wired spare parts for self-assembly

complete wired cable set with connector strip and inserts

insert IOS12098 (15 pin)

insert ISO1185 (7 pin)

insert ISO3731 (7 pin)



PART NO

15-5280-154

76-7001-007

58-3008-007




69-0001-004

69-0002-004

69-0003-004

JUNCTION BOX ASS1

JUNCTION BOX ASS1



GENERAL DESCRIPTION

- easy and time-saving mounting of the junction box by pre-wiring
- not necessary to open the box - absolutely waterproof IP54
- colored coding outside determines function
- all cables in colors and numbers according to ISO 12098 (15 pins)
- all flat plugs in the box are 6,3 mm spades
- the unused entries on the cover are spare entries for the trailer user

DESCRIPTION

with rear lamp connection
ADR



PART NO

76-6430-007

with ASS3 direct connector

76-5123-007

SPARE PARTS / ACCESSORIES



DESCRIPTION

junction box loose
with high cover
junction box loose
with low cover



PART NO

76-5100-007

76-5100-047



24V Rear Bumper





24V REAR BUMPER

ASPÖCK ALUMINIUM REAR BUMPER



GENERAL DESCRIPTION

- types: 2,4 m anodized or white, pre-drilled for all necessary Aspöck lights and junction boxes
- net weight without wiring or surface mounting parts about 17 kg
- “E” approved

DESCRIPTION



PART NO

loose anodised, only drilled including protection caps

14-4164-001

anodised with: Europoint I, Superpoint I (bulb version) and junction box

97-1252-007

anodised with: Ecopoint with end outline marker and junction box

97-1254-007

anodised with: Europoint II, Superpoint II and rear supply cable

97-1267-007

anodised with: Europoint II (with 1 x tail light in LED), Superpoint II and junction box



97-1269-007

anodised with: Europoint II, Superpoint III LED, number plate light (LED version) and junction box

97-1270-007

anodised with: Europoint III standard, Superpoint IV LED, number plate light (bulb version), and junction box

97-1257-007

		DESCRIPTION	 	PART NO
		loose white, only drilled including protection caps		14-4164-021
		white with: Europoint I, Superpoint I (bulb version) and junction box		97-1253-007
		white with: Ecopoint with end outline marker and junction box		97-1255-007

SPARE PARTS			DESCRIPTION	 	PART NO
			protection caps for aluminium rear bumper (2 pieces)		15-5394-014

24V Spare Parts and Accessories





24V SPARE PARTS AND ACCESSORIES

SPARE PARTS AND CONNECTION ELEMENTS

SYSTEMS ASS3 - BOX PACKING



DESCRIPTION

ASS3 3pin. male
ASS3 3pin female
ASS3 17pin. female
ASS3 17pin male



PART NO

13-0332-281
13-0322-281
13-1722-001
13-1732-001

SYSTEMS ASS2 - BOX PACKING



DESCRIPTION

ASS2 SML connection
ASS2 2 pin male yellow
ASS2 2 pin male green
ASS2 2 pin male black
ASS2 2 pin female yellow
ASS2 2 pin female green
ASS2 2 pin female black
ASS2 7 pin male yellow
ASS2 7 pin male green
ASS2 7 pin male white
ASS2 7 pin male black
ASS2 7 pin female yellow
ASS2 7 pin female green
ASS2 7 pin female white
ASS2 7 pin female black



PART NO

15-5624-041
13-5625-871
13-5625-881
15-0281-021
13-5626-341
13-5626-351
15-5624-031
13-5625-831
13-5625-841
13-5625-851
13-5625-861
13-5626-941
13-5626-951
13-5626-961
13-5626-971

SYSTEMS ASS1 - BOX PACKING



DESCRIPTION

ASS1 2 pin male yellow
ASS1 2 pin male green
ASS1 2 pin female yellow
ASS1 2 pin female green
ASS1 2 pin female black
ASS1 7 pin male black
ASS1 7 pin female yellow
ASS1 7 pin female green
ASS1 7 pin female black



PART NO

13-5625-211
13-5625-231
13-5626-261
13-5626-271
13-5626-331
13-5625-821
13-5626-931
13-5626-921
13-5626-911

SYSTEMS BAYONET - BOX PACKING



DESCRIPTION

Bayonet 2 pin male green
Bayonet 2 pin male black
Bayonet 2 pin female yellow
Bayonet 2 pin female green
Bayonet 2 pin female black
Bayonet 7 pin male grey
Bayonet 7 pin female white
Bayonet 7 pin female grey
Bayonet 8 pin male yellow
Bayonet 8 pin male green
Bayonet 8 pin male black
Bayonet 8 pin female yellow
Bayonet 8 pin female green
Bayonet 8 pin female black
Bayonet 15 pin male
Bayonet 15 pin female



PART NO

13-0232-031
13-0236-031
13-0220-031
13-0222-031
13-0226-041
13-0836-021
13-0824-031
13-0826-031
13-0831-031
13-0833-031
13-0838-061
13-0821-051
13-0823-041
13-0828-061
13-1530-101
13-1520-051

ASS1 SYSTEMS - PLASTIC BAG



DESCRIPTION

ASS1 2 pin female yellow
ASS1 2 pin female green
ASS1 2 pin female black
ASS1 7 pin female yellow
ASS1 7 pin female green
ASS1 7 pin female white
ASS1 7 pin female black
15 pin Bayonet male
15 pin Bayonet female



PART NO

13-5626-204
13-5626-224
13-5626-284
13-5626-704
13-5626-724
13-5626-744
13-5626-784
13-1530-004
13-1540-004

24V SPARE PARTS AND ACCESSORIES

GENERAL ADVICE!

Led lighting draws less current than Incandescent lamps.

This is known to cause problems with certain Vehicle Bulb failure Monitoring systems, across all manufacturers.

The low power consumption of led lamps can lead to a visual error message to the driver.

As monitoring of the direction indicator is a mandatory requirement, we recommend Aspöck Led lamps are always used in conjunction with our Led Control Gear „LCG“ Aspöck cannot accept any liability for incompatibility of the „LCG“ with the non-mandatory functions, these are provided for driver convenience. With the variation of vehicle types available it is impossible for Aspöck to verify every combination.


It is the Driver of the vehicles Legal responsibility to check all lighting is operating correctly.

It must also be noted that the maximum current for each function is 3A. Please take care if connecting a Vehicle to an „AC source or pulsed DC“ as this will lead to component Failure.

No liability will be accepted for the use of „LCG“ with non-approved Vehicles or lamps.

Aspöck Accepts no other terms and installation of our products will be deemed as full acceptance of our Terms and conditions.

* LCG LED-CONTROL-GEAR



GENERAL DESCRIPTION

- This LED control gear adapts the electrical characteristics of LED lights, to fit on trucks, which are not compatible with LEDs until now.
- compact construction
- a simple and quick retrofitting in a consisting Aspöck lighting system by the fitting plugs is possible
- Simulation of a bulb on the following functions: direction indicator, tail light, brake light
- Fault detection of the LED direction indicator function
- **Important: for every LED rear lamp, one LCG is needed (i.e. per vehicle 2 pieces of LCG1)**
- **Attention: the LCG is only compatible with Aspöck LED rear lamps**

DESCRIPTION

with 7 pin ASS1 and ASS2 connection for Aspöck rear lamps




PART NO

75-0300-001

* please notice the general advice

* LCG 2 - CENTRAL LCG



GENERAL DESCRIPTION

- This LED control gear adapts the electrical characteristics of LED lights, to fit on trucks, which are not compatible with LEDs until now.
- compact building method (installed at the ASS1 junction box)
- a simple and rapid retrofit into an existing Aspöck lighting system is possible, by the suitable ASS3 plugs
- controls only the direction indicator functions (power- and failure -control)
- Current adaptation on the following functions: tail light, brake light, reversing light fog light
- per lightning set is only one LCG 2 needed
- **Attention: the LCG is only compatible with Aspöck LED rear lamps**

DESCRIPTION

LCG 2 - standard version
LCG 2 - without direction indicator control




PART NO

75-0310-007

75-0309-007

* LCG 3



GENERAL DESCRIPTION

This LED control gear adapts the electrical characteristics of LED lights, to fit on trucks, which are not compatible with LEDs until now.

PERMANENT POWER REQUIRED

- patented functioning system
- indicator monitoring ensured
- no failure messages with onboard computers
- completely waterproof light system incl. rear lamp possible

The LED control gear enables the connection of LED rear lamps to tractor units, even if they are equipped with electronic lamp failure detection systems and onboard computers. Additionally, all light functions are monitored so that any malfunctions that may arise are displayed on the onboard computer.

Attention: the LCG is only compatible with Aspöck LED rear lamps

DESCRIPTION

LCG 3




PART NO

76-5132-017

24V SPARE PARTS AND ACCESSORIES

RDC - RAMP DISTANCE CONTROL



GENERAL DESCRIPTION

- this ramp-distance-control is a system of Aspöck to ease the driving to the ramp with truck trailers and to avoid damages on the vehicle
- more security for objects and persons behind the vehicle
- secure driving on the loading ramp
- total action liberty for the driver - no intervention into the brake system
- insert of only 2 adjustable ultrasonic sensors
- optical (by end outline marker) and acoustic (by the reversign beeper) warning signal
- easy installation on the vehicle and easy conversion
- by double put in of the reverse gear you activate the night disconnection off he warning signal

DESCRIPTION

RDC systems, sensor including metal puffer



PART NO

99-3010-171

SPARE PARTS

DESCRIPTION

Metal buffer for sensors (1 pc.)
Screw driver to justify the sensors
Connection cable ASS3
RDC-distribution box
Sensor without metal buffers
Sensor with metal buffers
End outline marker, Superpoint III LED left
End outline marker, Superpoint III LED right




PART NO

14-4545-007
10-0172-007
65-6105-007
76-6595-007
75-0201-007
75-0201-017
31-3305-214
31-3306-214

EXTENSION CABLES

11-CORES (7 x 1 + 1 x 1,5 + 3 x 2,5 QMM)



DESCRIPTION


open end, working length 4,5 m
with ASS3 connections,
working length 4,5 m



PART NO

17-7910-507
65-1022-027

ELECTRONIC REVERSING BUZZER



GENERAL DESCRIPTION

- pulsating tone
- volume 98dv on 1m

DESCRIPTION

1,2 m cable and 2 pin ASS1 connector, IP68

3,5 m cable open end, IP68

1,2 m cable open end, IP54

built-in version for

Europoint I & Europoint III

built-in version for Europoint II



PART NO

75-0000-007


75-0100-007

75-0002-007

12-3922-004

12-3922-014

VOLTAGE REDUCER



GENERAL DESCRIPTION

- The voltage reducer was designed for trailers with 12V lamps and a towing vehicle with either 24V or 12V
- Should a short circuit or overloading occur, the appropriate output switches off. The other outputs remain fully functional.
- The voltage reducer is splash-water and dust-protected and fitted with an automatic voltage recognition (that determines whether the input voltage is 12V or 24V, the output voltage remains a constant 12V)

DESCRIPTION

24V to 12V with 15 pin bayonet connection

24V to 12V with open end cables



PART NO


76-9010-007

76-9009-007

24V SPARE PARTS AND ACCESSORIES

REFLECTORS

TRIANGULAR REFLECTOR



DESCRIPTION

screwable

self-adhesive




PART NO

15-5400-007

15-5400-557

REFLECTOR 90 X 40 MM



DESCRIPTION

white, self-adhesive

red, self-adhesive

yellow, self-adhesive

yellow, screwable



PART NO

15-5430-017

15-5431-017

15-5432-017

15-5432-007

REFLECTOR 76 X 34 MM



DESCRIPTION

yellow, self-adhesive

white, self-adhesive

white with bracket



PART NO

15-5435-017

15-5434-017

15-5434-157

REFLECTOR D= 80 MM



DESCRIPTION

white, screwable

red, screwable

yellow, screwable



PART NO

15-5420-007

15-5421-007

15-5422-007

REFLECTOR D= 60 MM



DESCRIPTION

white, screwable

white, self-adhesive

red, screwable

red, self-adhesive

yellow, screwable

yellow, self-adhesive



PART NO

15-5410-007

15-5410-017

15-5411-007



15-5411-017

15-5412-007

15-5412-017

24V SPARE PARTS AND ACCESSORIES

SIDE-MARKER-LAMP HAZARD-FLASHER-CIRCUIT-BOARD



GENERAL DESCRIPTION

- SML flashing activated by the warning system
- The board can be programmed to flash all SML along with the direction indicator lamps (ATTENTION: note legal regulations!)
- The use of electronics protects all SML against short-circuit
- Quick and easy conversion/fitting via Aspöck distributor
- Suitable for all kinds of SML
- Maximum loading capacity: 40 Watt total per side

DESCRIPTION

board including accessories and assembly instruction for additional mounting



PART NO

12-1620-014

MARKER BOARDS

MARKER BOARD 566 x 197 MM



GENERAL DESCRIPTION

- marker board ECE70

DESCRIPTION


one pair (2 pieces) aluminium
566 x 197 x 1 mm



PART NO

14-4200-002

ENLARGEMENTS



GENERAL DESCRIPTION

- for broadloom trailers
- **ATTENTION** - marker board is not included!

DESCRIPTION

with 2 pieces Superpoint III LED, with additional exit for twisting lamp

with 3 pieces Superpoint III LED, with additional exit for twisting lamp




PART NO

58-1955-007

58-1957-007

SUPERPOINT III LED

VERSION 3 PIN ASS3 CONNECTION



DESCRIPTION

red/white/orange/ left/right with 0,25 m cable




PART NO

31-3307-087

DISTRIBUTOR ASS3

WITH COILED CABLE



DESCRIPTION

distributor ASS3 with coiled cable



PART NO

76-9023-007

24V SPARE PARTS AND ACCESSORIES

ISO PLUGS

ISO PLUGS



DESCRIPTION

plug with 7 pins, 24V, ISO 1185, alu housing, with cable glands, single packed in plastic bag

plug with 7 pins, 24V, ISO 3731, alu housing, with cable glands, single packed in plastic bag

plug with 13 pins, 24V, ISO 12098, plastic housing, with grommet

14 pin VBG-plug 24V

15 pin plug 24V, ISO 12098, plastic housing, with grommet



PART NO

13-3020-004

13-3025-004

13-3040-007

13-3150-007

13-3070-007

ISO SOCKETS

ISO SOCKETS



DESCRIPTION

Socket with 7 pins 24V, ISO 1185, alu cover

Socket with 7 pins 24V, ISO 3731, alu cover

Socket with 13 pins 24V, ISO 12098, plastic housing

VBG socket with 14 pins 24V

Socket with 15 pins 24V, ISO 12098, plastic housing

Socket with 15 pins 24V, ISO 12098, plastic housing, with double exit



PART NO

13-3128-027

13-3129-027

13-3140-007

13-3050-027

13-3170-007

13-3170-057

CONTOUR MARKING TAPE



GENERAL DESCRIPTION

- Unique adhesive layer
 - easily and quickly applied without loss of material
 - The adhesive layer cures into a permanent bond, making the tape repositionable
- Reflective Performance UN/ECE-104 Class C approved
 - approved according to European specifications for reflective materials for trucks and trailers
 - very high reflective values, especially for larger illumination angles (e.g. 60°)
- Unique Prism technology
 - layout of the prisms in squares in various orientations
 - homogenous horizontal, vertical and diagonal reflection
- Special composition
 - three chemically bound layers making the product thin, flexible and very strong
 - impenetrable to water and dirt after cutting or damaging of the product
 - contains no air bubbles
- Acrylate structure
 - the acrylic top layer offers excellent stability
 - the structure offers 7 years of proven durability worldwide

DESCRIPTION

50,8 mm x 50 m white
 50,8 mm x 50 m yellow
 50,8 mm x 50 m red
 50,8 mm x 12,5 m red
 for Curtainsider
 50,8mm x 50 m white
 for Curtainsider
 50,8 mm x 50 m yellow
 for Curtainsider
 50,8 mm x 50 m red



PART NO


15-5990-007
 15-5990-107
 15-5990-207
 15-5990-307
 15-5990-407
 15-5990-507
 15-5990-607

24V Installation Regulations





Legal Installation Regulations for Trailers in Accordance with ECE Regulation No R48



FRONT

1. Front end-outline marker lamp*

Installation:	Mandatory for trailers > 2.1 m wide, Permitted for trailers >1.8 m to < 2.1 m wide.
Number:	2 pieces
Colour:	White
Installation height:	As high as possible.
Spacing:	Mount as far apart as possible to a max. of 400 mm from the furthest point of the vehicle's width.
Geom. angle of visibility:	Horizontally 80° outwards, vertically 5° above and 20° below the horizontal.
Other regulations:	Any front position (side) lamp or reflex reflector may be installed. Additional reflex reflectors are permissible.

*End-outline marker lamps: special regulation for trailers with canopy: On a trailer with a canopy the end-outline marker lamp can only be installed at the bottom. The front white and rear red end-outline marker lamps may be installed in a single lamp provided the installation regulations and angles of visibility are complied with.

O₁ = trailers up to 0.75 t O₂ = trailers from 0.75 t to 3.5 t O₃ = trailers from 3.5 t to 10 t O₄ = trailers over 10 t

2. Front reflex reflector

Installation:	Mandatory for all trailers.
Number:	2 pieces
Colour:	white
Shape:	Not triangular
Installation height:	At least 250 mm, 900 mm max. (exception: 1.500 mm).
Spacing:	There should be a max. of 150 mm and a min. of 600 mm between both reflectors, but at least 400 mm for vehicles with a width of < 1.300 mm.
Geom. angle of visibility:	Horizontally 10° inwards and 30° outwards, vertically $\pm 10^\circ$, but 5° downwards if installation height is < 750 mm.
Other regulations:	The illuminating surface of the reflex reflector may be incorporated in the front position (side) lamp. The installation height of the reflector must be taken into account.

3. Front position (side) lamp

Installation:	Mandatory for trailers > 1.6 m wide, permitted for trailers ≤ 1.6 m wide.
Number:	2 pieces
Colour:	white
Installation height:	At least 350 mm, 1.500 mm max. (exception: 2,100 mm on trailers of the categories O1 and O2 only or on other trailers where a max. of 1.500 mm is not possible).
Spacing:	A max. of 150 mm from the furthest point of the vehicle's width, with a min. of 600 mm between both front position lamps, but of at least 400 mm on vehicles with a width of < 1.300 mm.
Geom. angle of visibility:	Horizontally 5° inwards and 80° outwards. Vertically $\pm 15^\circ$, but also 5° downward if installation height is < 750 mm.
Other regulations:	The illuminating surface of the reflex reflector may be incorporated in the front position (side) lamp. The installation height of the reflector must be taken into account.

SIDE

4. Side reflex reflector

Installation:	Mandatory for all trailers.
Number:	At least one in the middle third.
Colour:	Yellow
Installation height:	At least 250 mm, 900 mm max. (exception: 1.500 mm).
Spacing:	No more than 3 m from front (including drawbar); no more than 1 m from rear, no more than 3 m between each reflector (exception: 4 m).
Geom. angle of visibility:	Horizontally $\pm 45^\circ$, vertically $\pm 10^\circ$, but 5° downwards if installation height is < 750 mm.
Other regulations:	The illuminating surface of the reflex reflector may be incorporated in the side-marker lamp. The max. installation height of the reflector must be taken into account.

5. Side-marker lamp

Installation:	Mandatory for trailers > 6 m long, permitted for trailers < 6 m long.
Number:	At least one in the middle third.
Colour:	Yellow in front, yellow at rear (red also possible in combination with the rear light).
Installation height:	No more than 3 m from front (including drawbar), no more than 1 m from rear, no more than 3 m between each side-marker lamp (exception: 4 m).
Geom. angle of visibility:	Horizontally $\pm 45^\circ$, vertically $\pm 10^\circ$, but 5° downwards if installation height is < 750 mm .
Other regulations:	The illuminating surface of the reflex reflector may be incorporated in the side-marker lamp. The max. installation height of the reflector must be taken into account.

Note: side-marker lamp: intensity of light emitted at least 4cd = for trailers of every category

REAR

6. Direction indicator lamps

Installation:	Mandatory for all trailers, category 2a or 2b.
Number:	2 pieces
Colour:	Yellow
Installation height:	At least 350 mm, 1.500 mm max. (exception: 2.100 mm only if no two additional direction indicator lamps have been installed). Installation height of additional direction indicator lamps: at least 600 mm above the mandatory direction indicator lamps.
Spacing:	No more than 400 mm from the furthest point of the vehicle's width. This does not apply to the additional direction indicator lamps. There should be at least 600 mm between the two direction indicator lamps, but at least 400 mm on vehicles < 1.300 mm wide.
Geom. angle of visibility:	Horizontally 45° inwards to 80° outwards, vertically $\pm 15^\circ$, but also 5° downwards if installation height is < 750 mm.
Other regulations:	Installation of two additional direction indicator lamps (2a or 2b) is permitted on all trailers in the categories O ₂ , O ₃ and O ₄ .

7. Rear tail lamp

Installation:	Mandatory for all trailers.
Number:	2 pieces
Colour:	Red
Installation height:	At least 350 mm, 1.500 mm max. (exception: 2.100 mm only if no two additional rear lamps have been installed). Installation height of the additional rear lamps: at least 600 mm above the mandatory rear lamps.
Spacing:	A max. of 400 mm from the furthest point of the vehicle's width. This does not apply to the additional rear lamps. There must be at least 600 mm between the two rear lamps, but at least 400 mm if the vehicle is < 1.300 mm wide.
Geom. angle of visibility:	Horizontally 45° inwards to 80° outwards, vertically $\pm 15^\circ$, but also 5° downwards if installation height is < 750 mm.
Other regulations:	Unless end-outline marker lamps are installed, two additional rear end-outline lamps may be installed on all trailers of the categories O ₂ , O ₃ and O ₄ .

8. Stop lamp

Installation:	Mandatory for all trailers, category S1 or S2.
Number:	2 pieces. Unless category S3, S4 stop lamps have been installed, two additional stop lamps of the category S1 or S2 may be installed on vehicles of the categories O ₂ , O ₃ and O ₄ .
Colour:	Red
Installation height:	At least 350 mm, 1.500 mm max. (exception: 2.100 mm only if no two additional stop lamps have been installed). Installation height of the additional stop lamps: at least 600 mm above the mandatory stop lamps.
Spacing:	On all trailers at least 600 mm between the two stop lamps, but at least 400 mm if the vehicle is < 1.300 mm wide.
Geom. angle of visibility:	Horizontally $\pm 45^\circ$, vertically $\pm 15^\circ$, but also 5° downwards if the installation height is < 750 mm.
Other regulations:	The distance between the S1 or S2 stop lamp and the rear fog lamp must be > 100 mm.

9. Reversing light

Installation:	Mandatory for all trailers of vehicle categories O ₂ , O ₃ and O ₄ , permissible for trailers of vehicle category O ₁
Number:	1 piece light is mandatory, a second permissible on trailers < 6 m long. 2 lights mandatory on vehicles > 6 m long, and 2 additional reversing lights permissible on all other trailers.
Colour:	white
Installation height:	At least 250 mm, 1.200 mm max.
Spacing:	No regulations apply
Geom. angle of visibility:	1 light: horizontally $\pm 45^\circ$. 2 lights: horizontally 30° inwards to 45° outwards. Vertically 15° upwards to 5° downwards.
Other regulations:	Installation of additional reversing lights on the vehicle is possible at the rear or on the sides.

10. Rear fog lamp

Installation:	Mandatory for all trailers.
Number:	1 piece or 2 pieces
Colour:	Red
Installation height:	At least 250 mm, 1.000 mm max.
Spacing:	No regulations apply.
General regulations for installation:	In the case of 1 rear fog lamp: left of centre for left-hand drive vehicles, right of centre for right-hand drive vehicles. Centre installation permissible.
Geom. angle of visibility:	Horizontally $\pm 25^\circ$, vertically $\pm 5^\circ$.
Circuit-closed tell-tale:	Mandatory. An independent, non-flashing tell-tale.
Other regulations:	Distance from the stop lamp must be > 100 mm.

11. End-outline marker lamp *

Installation:	Mandatory for trailers > 2.1 m wide. Permissible for trailers > 1.8 m to 2.1 m wide.
Number:	2 pieces statutory, 2 optional
Colour:	Red
Installation height:	As high as possible.
Spacing:	As near the widest point of the vehicle as possible, a max. of 400 mm from the furthest point of the vehicle's width.
Geom. angle of visibility:	Horizontally 80° outwards. Vertically 5° above and 20° below the horizontal.
Other regulations:	The rear red and front white end-outline marker lamps may be installed in a single lamp provided the installation regulations and angles of visibility are complied with. The distance between the end-outline marker lamp and the rear lamp must be at least 200 mm. Any rear light or rear reflex reflector may be used. Additional reflectors are permitted.

*End-outline marker lamps: special regulation for trailers with canopy:

On a trailer with a canopy the end-outline marker lamp can only be installed at the bottom. The front white and rear red end-outline marker lamps may be installed in a single lamp provided the installation regulations and angles of visibility are complied with.

12. Rear reflex reflector

Installation:	Mandatory for all trailers.
Number:	2 pieces
Colour:	Red
Shape:	Triangular
Alignment:	The tip of the triangle must point upwards.
Installation height:	At least 250 mm, 900 mm max. (exception: 1.500 mm).
Spacing:	No more than 400 mm from the furthest point of the vehicle's width, with at least 600 mm between both reflectors, but at least 400 mm if the vehicle is < 1.300 mm wide.
Geom. angle of visibility:	Horizontally $\pm 30^\circ$. Vertically $\pm 15^\circ$, but 5° downwards if the installation height is < 750 mm.
Other regulations:	A rear light with an incorporated rectangular reflex reflector is permitted on trailers. Additional reflex reflectors are permitted.

13. Registration plate lamp

Installation:	Mandatory for all trailers.
Number:	1 piece or more
Colour:	White
Installation height:	at least 350 mm to bottom edge triangle, max. 900 mm to top triangle (exception: 1.500 mm)
Position:	Central or on the left (or right on right-hand drive vehicles).

14. High-mounted stop lamp

Installation:	Permitted on all trailers, category S3.
Number:	1 piece If the vehicle's median longitudinal plane does not pass through a solid rear panel but is, for instance, divided by doors leaving no room for an S3 stop lamp, it is permissible for two S3 stop lamps of the stop lamp type „D“ or for one S3 stop lamp to be installed to the left or the right of the vehicle's median longitudinal plane.
Colour:	Red
Installation height:	At least 350 mm, 1.500 mm max. (exception: 2.100 mm only if no two additional rear lamps have been installed). Installation height of the additional rear lamps: at least 600 mm above the mandatory rear lamps.
Spacing:	The point of reference must be the in the trailer's median longitudinal plane. If two S3 stop lamps have been installed each one must be installed as near as possible to the median longitudinal plane. If only one S3 stop lamp is installed next to the median longitudinal plane the distance must be no greater 150 mm.
Geom. angle of visibility:	Horizontally $\pm 10^\circ$ Vertically 10° above and 5° below the horizontal.

24V Attachments





24 V ATTACHMENTS

PART NUMBERS SUMMARY

PART NO	PAGE	PART NO	PAGE	PART NO	PAGE	PART NO	PAGE	PART NO	PAGE	PART NO	PAGE	PART NO	PAGE
12-1522-004	22	12-1574-234	12	13-5625-831	90	15-2122-104	51	15-5400-557	98	15-5990-107	103	16-6705-007	63
12-1522-014	22	12-1574-234	13	13-5625-841	90	15-2122-124	39	15-5410-007	99	15-5990-207	103	16-6705-007	64
12-1522-024	22	12-1620-014	100	13-5625-851	90	15-2122-124	51	15-5410-017	99	15-5990-307	103	17-7910-507	96
12-1522-034	22	12-3922-004	97	13-5625-861	90	15-2128-144	51	15-5411-007	99	15-5990-407	103	18-2990-127	68
12-1526-004	22	12-3922-014	15	13-5625-871	90	15-2128-167	49	15-5411-017	99	15-5990-507	103	18-2990-147	69
12-1526-014	22	12-3922-014	97	13-5625-881	90	15-2128-277	49	15-5412-007	99	15-5990-607	103	18-8136-007	22
12-1526-024	22	13-0220-031	93	13-5626-204	93	15-2128-524	49	15-5412-017	99	16-6110-007	30	18-8136-007	23
12-1526-034	22	13-0222-031	93	13-5626-224	93	15-5111-007	41	15-5420-007	99	16-6121-007	30	18-8136-007	24
12-1528-001	18	13-0226-041	93	13-5626-261	90	15-5111-007	53	15-5421-007	99	16-6304-007	15	18-8136-007	31
12-1528-001	20	13-0232-031	93	13-5626-271	90	15-5111-407	28	15-5422-007	99	16-6304-007	20	18-8136-007	57
12-1529-001	18	13-0236-031	93	13-5626-284	93	15-5270-004	15	15-5430-017	98	16-6304-007	23	18-8137-007	57
12-1529-001	20	13-0322-281	90	13-5626-331	90	15-5276-004	15	15-5431-017	98	16-6304-007	24	18-8141-004	15
12-1530-004	26	13-0332-281	90	13-5626-341	90	15-5277-007	20	15-5432-007	98	16-6304-007	31	18-8382-107	36
12-1531-004	26	13-0821-051	93	13-5626-351	90	15-5280-154	84	15-5432-017	98	16-6304-007	37	18-8440-007	31
12-1560-001	14	13-0823-041	93	13-5626-704	93	15-5280-154	84	15-5434-017	98	16-6304-007	49	18-8442-007	31
12-1560-001	15	13-0824-031	93	13-5626-724	93	15-5310-107	62	15-5434-157	98	16-6304-007	57	18-8442-107	31
12-1560-011	14	13-0826-031	93	13-5626-744	93	15-5312-107	62	15-5435-017	98	16-6305-007	16	18-8485-007	26
12-1560-011	15	13-0828-061	93	13-5626-784	93	15-5313-007	57	15-5609-107	45	16-6305-007	23	18-8487-007	26
12-1560-021	14	13-0831-031	93	13-5626-911	90	15-5314-107	62	15-5609-107	46	16-6305-007	24	18-8520-002	24
12-1560-021	15	13-0833-031	93	13-5626-921	90	15-5316-007	62	15-5623-304	15	16-6305-007	26	18-8522-002	22
12-1560-031	14	13-0836-021	93	13-5626-931	90	15-5317-007	43	15-5624-014	55	16-6305-007	31	18-8522-002	23
12-1560-031	15	13-0838-061	93	13-5626-941	90	15-5317-007	55	15-5624-024	55	16-6305-007	36	18-8528-002	20
12-1560-141	14	13-1520-051	93	13-5626-951	90	15-5317-017	43	15-5624-031	90	16-6310-007	15	18-8528-402	18
12-1560-141	15	13-1530-004	93	13-5626-961	90	15-5317-017	55	15-5624-041	90	16-6310-007	16	18-8529-002	20
12-1570-001	12	13-1530-101	93	13-5626-971	90	15-5318-007	62	15-5971-007	37	16-6310-007	20	18-8529-402	18
12-1570-001	13	13-1540-004	93	14-0418-307	41	15-5319-007	43	15-5971-007	39	16-6310-007	26	18-8550-002	16
12-1570-101	12	13-1722-001	90	14-0418-307	53	15-5319-007	55	15-5971-007	41	16-6321-007	15	18-8555-007	16
12-1570-101	13	13-1732-001	90	14-1430-357	16	15-5319-307	43	15-5971-007	43	16-6321-007	16	18-8560-002	14
12-1570-204	12	13-3020-004	102	14-2522-987	22	15-5319-307	55	15-5971-007	45	16-6321-007	20	18-8560-002	15
12-1570-204	13	13-3025-004	102	14-2522-987	23	15-5321-007	41	15-5971-007	46	16-6321-007	23	18-8570-001	12
12-1570-214	12	13-3040-007	102	14-2522-997	22	15-5321-007	53	15-5971-007	49	16-6321-007	24	18-8570-001	13
12-1570-214	13	13-3050-027	102	14-2522-997	23	15-5321-107	41	15-5971-007	51	16-6321-007	26	18-8570-101	12
12-1570-224	12	13-3070-007	102	14-4164-001	89	15-5321-107	53	15-5971-007	53	16-6321-007	31	18-8570-101	13
12-1570-224	13	13-3128-027	102	14-4164-021	89	15-5321-207	41	15-5971-007	55	16-6321-007	36	18-8580-007	30
12-1570-234	12	13-3129-027	102	14-4200-002	100	15-5321-207	53	15-5971-007	57	16-6321-607	15	18-8630-104	64
12-1570-234	13	13-3140-007	102	14-4370-007	68	15-5325-007	60	15-5971-007	60	16-6321-607	20	18-8780-107	36
12-1574-204	12	13-3150-007	102	14-4370-007	69	15-5325-107	60	15-5971-007	62	16-6322-007	16	18-8880-107	36
12-1574-204	13	13-3170-007	102	14-4545-007	96	15-5392-017	67	15-5971-007	63	16-6322-007	23	21-2000-004	55
12-1574-214	12	13-3170-057	102	14-4596-007	43	15-5394-014	89	15-5971-007	65	16-6322-007	24	21-2000-014	55
12-1574-214	13	13-5625-211	90	14-4596-007	55	15-5398-067	67	15-5971-007	65	16-6322-007	26	21-2000-024	55
12-1574-224	12	13-5625-231	90	15-0281-021	90	15-5398-507	67	15-5971-007	66	16-6322-007	31	21-2200-004	51
12-1574-224	13	13-5625-821	90	15-2122-104	39	15-5400-007	98	15-5990-007	103	16-6705-007	62	21-2200-014	51

PART NO	PAGE	PART NO	PAGE	PART NO	PAGE	PART NO	PAGE	PART NO	PAGE	PART NO	PAGE	PART NO	PAGE
21-2201-004	51	24-7401-707	25	25-2600-001	23	25-2910-501	20	25-6600-501	15	31-2004-017	53	31-3105-007	61
21-2800-007	49	24-7430-707	25	25-2600-007	23	25-2910-507	19	25-6600-507	15	31-2004-037	53	31-3105-017	61
21-2800-014	49	24-7470-707	25	25-2600-701	21	25-2910-511	20	25-7000-507	13	31-2004-107	55	31-3106-007	61
21-2801-004	49	24-7500-701	25	25-2600-707	21	25-2910-517	19	25-7000-517	13	31-2007-237	54	31-3106-017	61
21-3300-007	60	24-7500-707	25	25-2600-717	21	25-2920-407	18	25-7000-707	12	31-2007-247	54	31-3300-247	60
21-3302-007	60	24-7501-707	25	25-2600-727	22	25-2920-747	19	25-7000-717	12	31-2064-017	53	31-3300-317	60
21-3350-707	60	24-7530-707	25	25-2600-737	22	25-3800-507	17	25-7000-747	12	31-2064-037	53	31-3302-007	58
21-3351-707	60	24-7570-707	25	25-2601-007	23	25-3800-517	17	25-7020-507	13	31-2064-217	54	31-3302-017	58
21-5000-004	37	24-7630-707	25	25-2610-001	23	25-3820-517	17	25-7020-517	13	31-2064-237	54	31-3302-024	18
21-5000-024	37	24-7730-707	25	25-2610-007	23	25-3900-507	17	25-7020-707	12	31-2064-417	54	31-3302-027	20
21-5000-034	37	24-8504-701	26	25-2610-701	21	25-3900-517	17	25-7020-717	12	31-2064-437	54	31-3302-044	18
21-6513-007	62	24-8504-707	26	25-2610-707	21	25-3920-517	17	25-7020-737	12	31-2064-717	54	31-3302-104	20
21-6513-217	62	24-8714-701	26	25-2610-717	21	25-5000-501	16	25-7400-507	13	31-2064-737	54	31-3303-007	58
21-6600-004	39	24-8714-707	26	25-2610-727	22	25-5000-507	16	25-7400-517	13	31-2067-097	55	31-3303-017	58
21-6600-014	39	25-2000-501	24	25-2610-737	22	25-5001-507	16	25-7400-707	12	31-2067-107	55	31-3303-024	18
21-6601-004	39	25-2010-501	24	25-2611-007	23	25-5100-507	16	25-7400-717	12	31-2067-697	55	31-3303-027	20
22-7000-701	33	25-2010-507	24	25-2800-407	18	25-5101-507	16	25-7400-747	12	31-2214-017	50	31-3303-044	18
22-7000-707	33	25-2010-507	24	25-2800-451	20	25-5400-501	16	25-7420-507	13	31-2214-027	50	31-3304-047	58
23-8200-011	36	25-2011-507	24	25-2800-457	19	25-5400-507	16	25-7420-517	13	31-2214-037	50	31-3304-057	58
23-8200-017	35	25-2011-507	24	25-2800-501	20	25-5401-507	16	25-7420-707	12	31-2214-117	50	31-3304-067	58
23-8200-517	35	25-2200-001	23	25-2800-507	19	25-5500-507	16	25-7420-717	12	31-2214-127	50	31-3304-077	58
23-8230-007	35	25-2200-007	23	25-2800-511	20	25-6000-501	15	25-7420-767	12	31-2214-137	50	31-3304-087	60
23-8400-751	33	25-2200-701	21	25-2800-517	19	25-6000-507	15	25-8100-007	30	31-2264-017	50	31-3304-097	60
23-8400-757	32	25-2200-707	21	25-2810-407	18	25-6000-707	14	25-8100-167	30	31-2264-027	50	31-3305-017	58
23-8400-761	33	25-2200-717	21	25-2810-451	20	25-6000-757	14	25-8300-007	30	31-2264-037	50	31-3305-027	58
23-8400-767	32	25-2200-727	22	25-2810-457	19	25-6001-507	15	25-8300-167	30	31-2304-017	51	31-3305-064	15
23-8400-801	33	25-2200-737	22	25-2810-501	20	25-6001-707	14	26-3000-004	63	31-2304-037	51	31-3305-084	14
23-8400-807	32	25-2201-007	23	25-2810-507	19	25-6011-511	15	26-3010-004	64	31-2304-097	51	31-3305-127	60
23-8400-811	33	25-2210-001	23	25-2810-511	20	25-6011-517	15	27-8000-021	36	31-2307-017	52	31-3305-167	60
23-8400-817	32	25-2210-007	23	25-2810-517	19	25-6020-757	14	27-8000-027	35	31-2364-017	51	31-3305-214	96
24-4101-007	31	25-2210-701	21	25-2820-407	18	25-6021-707	14	27-8400-701	33	31-2364-037	51	31-3305-237	17
24-4111-007	31	25-2210-707	21	25-2820-747	19	25-6200-501	15	27-8400-707	32	31-2367-037	52	31-3306-017	58
24-4151-007	31	25-2210-717	21	25-2900-407	18	25-6200-507	15	28-8000-021	36	31-2367-057	52	31-3306-027	58
24-4161-007	31	25-2210-727	22	25-2900-451	20	25-6400-501	15	28-8000-027	35	31-2800-007	57	31-3306-064	15
24-4301-007	31	25-2210-737	22	25-2900-457	19	25-6400-507	15	28-8400-701	33	31-2814-007	49	31-3306-084	14
24-4311-007	31	25-2211-007	23	25-2900-501	20	25-6400-707	14	28-8400-707	33	31-2814-027	49	31-3306-127	60
24-4313-007	31	25-2400-501	24	25-2900-507	19	25-6400-757	14	28-9100-007	72	31-2814-047	49	31-3306-167	60
24-4351-007	31	25-2410-501	24	25-2900-511	20	25-6401-507	15	29-8410-007	74	31-2814-077	49	31-3306-214	96
24-4361-007	31	25-2410-507	24	25-2900-517	19	25-6411-511	15	29-9002-007	68	31-3102-024	12	31-3306-237	17
24-4363-007	31	25-2410-507	24	25-2910-407	18	25-6411-517	15	29-9006-007	68	31-3103-024	12	31-3307-007	60
24-7400-701	25	25-2411-507	24	25-2910-451	20	25-6420-757	14	29-9007-007	69	31-3104-007	61	31-3307-017	60
24-7400-707	25	25-2411-507	24	25-2910-457	19	25-6421-707	14	29-9009-007	69	31-3104-017	61	31-3307-087	101

PART NUMBERS SUMMARY

PART NO	PAGE	PART NO	PAGE	PART NO	PAGE	PART NO	PAGE	PART NO	PAGE	PART NO	PAGE	PART NO	PAGE
31-3360-007	59	31-6404-127	41	31-7100-067	45	32-7207-007	27	36-3805-007	64	39-8704-017	74	68-7503-017	79
31-3360-017	59	31-6504-177	62	31-7104-007	45	33-7200-007	27	36-3806-007	64	39-8900-007	73	68-7503-027	79
31-3364-007	59	31-6564-067	62	31-7104-017	45	33-7207-007	27	36-3810-007	64	39-8900-057	73	68-7503-177	79
31-3364-017	59	31-6564-077	62	31-7104-027	45	33-7207-517	27	36-3864-007	64	39-8900-107	73	69-0001-004	84
31-3364-027	59	31-6564-147	62	31-7200-007	46	33-8100-007	29	36-3864-017	64	39-8900-157	73	69-0002-004	84
31-3364-037	59	31-6564-157	62	31-7200-017	46	33-8100-107	29	36-3865-007	64	39-8900-207	73	69-0003-004	84
31-3364-047	59	31-6604-077	38	31-7200-067	46	33-8100-207	29	36-3867-017	64	39-8900-257	73	75-0000-007	97
31-3364-057	59	31-6604-097	38	31-7204-007	46	33-8402-037	32	36-3867-027	64	39-8900-307	73	75-0002-007	97
31-3365-017	59	31-6604-117	38	31-7204-017	46	33-8402-047	32	37-7200-007	27	39-8900-357	73	75-0100-007	97
31-3365-027	59	31-6614-017	38	31-7204-027	46	33-8403-037	32	37-7207-007	27	39-8900-407	73	75-0201-007	96
31-3366-017	59	31-6614-037	38	31-7704-017	42	33-8403-047	32	37-8007-157	35	39-9000-407	68	75-0201-017	96
31-3366-027	59	31-6614-057	38	31-7704-037	42	33-8405-087	32	37-8407-007	32	39-9000-807	69	75-0300-001	94
31-3404-007	56	31-6614-077	38	31-7704-057	42	33-8405-097	32	37-8407-017	32	53-1667-037	75	75-0309-001	17
31-3404-017	56	31-6614-097	38	31-7704-077	42	33-8406-087	32	37-9220-007	28	53-6768-007	75	75-0309-007	95
31-3405-007	56	31-6614-117	38	31-7704-087	42	33-8406-097	32	37-9230-007	28	58-1955-007	101	75-0310-007	95
31-3405-077	57	31-6664-017	39	31-7704-097	42	33-8407-017	34	38-7200-007	27	58-1957-007	101	76-5100-007	85
31-3406-007	56	31-6664-037	39	31-7704-127	42	33-8407-017	34	38-7207-007	27	58-3008-007	84	76-5100-047	85
31-3406-067	57	31-6664-057	39	31-7704-227	43	33-8407-017	34	38-8007-167	35	58-6024-017	75	76-5123-007	85
31-3604-047	57	31-6700-027	47	31-7707-107	43	33-9200-007	29	38-8107-067	33	58-6647-007	75	76-5132-017	95
31-3604-057	57	31-6700-037	47	31-7707-117	43	33-9200-207	29	38-8200-007	72	58-6649-007	75	76-6430-007	85
31-3605-007	57	31-6704-067	47	31-7707-127	43	36-3004-017	63	38-8207-007	72	65-1003-007	75	76-6595-007	96
31-3606-007	57	31-6704-077	47	31-7804-017	44	36-3004-027	63	38-8220-007	71	65-1003-017	75	76-7001-007	84
31-3608-007	22	31-6704-087	47	31-7804-057	44	36-3004-057	63	38-8221-007	71	65-1003-027	75	76-7002-007	84
31-3608-007	23	31-6704-097	47	31-7804-077	44	36-3007-007	63	38-8221-107	71	65-1005-007	75	76-7037-007	84
31-3608-007	24	31-6704-107	47	31-7804-087	44	36-3007-047	63	38-8407-007	33	65-1005-017	75	76-7072-007	84
31-3608-017	22	31-6704-117	47	31-7804-097	44	36-3007-057	63	38-9000-007	72	65-1005-027	75	76-9009-007	97
31-3608-017	23	31-6800-017	48	31-7804-127	44	36-3007-397	63	38-9007-007	72	65-1007-007	75	76-9010-007	97
31-3608-017	24	31-6800-027	48	31-8900-017	67	36-3604-017	65	38-9007-017	72	65-1007-017	75	76-9023-007	101
31-3704-017	56	31-6804-067	48	31-8900-027	66	36-3604-027	65	38-9100-007	72	65-1007-027	75	87-1272-004	67
31-3707-027	56	31-6804-077	48	31-8900-027	67	36-3607-007	65	38-9107-007	72	65-1022-027	96	87-1284-007	79
31-3804-007	57	31-6804-087	48	31-8907-007	67	36-3607-017	65	38-9107-017	72	65-1499-007	81	87-1285-007	79
31-3804-017	57	31-6804-097	48	31-8910-017	67	36-3607-027	65	38-9220-007	28	65-1499-017	81	87-1286-007	80
31-5004-007	36	31-6900-017	40	31-8920-007	28	36-3760-007	66	38-9230-007	28	65-6101-027	80	97-1252-007	89
31-5004-027	36	31-6904-017	40	31-9000-057	67	36-3760-017	66	38-9231-007	28	65-6105-007	96	97-1253-007	89
31-5004-097	36	31-6904-037	40	31-9220-007	28	36-3764-007	66	39-6400-017	70	65-6499-007	80	97-1254-007	89
31-5004-107	36	31-6904-057	40	31-9221-007	28	36-3764-017	66	39-6407-007	70	65-6502-017	27	97-1255-007	89
31-5014-047	36	31-6904-127	40	31-9230-007	28	36-3764-027	66	39-6800-017	70	66-8892-007	80	97-1257-007	89
31-5064-027	37	31-6904-137	40	31-9231-007	28	36-3767-007	66	39-6807-007	70	66-8893-007	80	97-1267-007	89
31-5064-067	37	31-6907-027	40	31-9231-207	28	36-3767-017	66	39-7007-007	34	68-4980-037	80	97-1269-007	89
31-5064-077	37	31-6907-037	40	31-9231-217	28	36-3767-027	66	39-7007-007	34	68-4983-007	79	97-1270-007	89
31-6404-017	41	31-7100-007	45	32-7000-707	33	36-3804-007	64	39-8700-017	74	68-5018-007	55	99-3010-171	96
31-6404-097	41	31-7100-017	45	32-7200-007	27	36-3804-017	64	39-8704-007	74	68-7503-007	79		

24V ATTACHMENTS

WIRING DIAGRAM

pin assignment	electric circuit functions	Colour (change- ment at each pin, location)	DIN NR.	17p. ASS3	15p. ISO 12098	Bay- Con. 15p	Junc- tion box ASS1	7p. ISO 1185	Bay- Con. 7p. GREY	ASS1/2 7p. BLACK	7p. ISO 3731	Bay- Con. 7p. WHITE	ASS1/2 7p. WHITE	Bay- Con. 8p. BLACK	ASS1/2 7p. YE, GN	Bay-Connector 5p. BLACK		Bay.- Verb.2p.2p. BLA, YE, GN	ASS1/2 12098 13p. 24V	ISO 1724 7p.	ISO 11446 13p. 12V	ASS3 3p.
																Bay-Con. 5p. yellow (left)	Bay-Con. 5p. green (right)					
RDI LHS		YE	L	1	1	1		3				-		1	1	BL	-	-	3	1	1	-
RDI RHS		GN	R	2	2	2		5				-		4	4	-	BL	-	5	4	4	-
rear fog lamp		BL „S“54g	3	3	3	3		-				7		2	2	S	-	-	9	(2)	2	-
earth		WT	31	4	4	4		1				-		3	3	31	31	1	1	3	3	1
tail light left		BLA	58L	5	5	5		2				-		7	7	UR	-	-	2	7	7	-
tail light right		BR	58R	6	6	6		6				-		5	5	-	UR	-	6	5	5	-
stop/Brake light		RD	54	7	7	7		4				-		6	6	BR	BR	-	4	6	6	-
reversing light		GR „S“L	8	8	8	8		-				3		8	8	-	S	-	8	-	8	-
feed current (+)		BR/BL „S“54	9	9	9	9		-				4		-	-	-	-	-	10	-	9	-
wear control		BR/RD	-	10	10	10		-				-		-	-	-	-	-	-	-	10	-
trailer brake control		YE/BLA 54g	11	11	11	11		7				-		-	-	-	-	-	7	(2)	*	-
bogie lift		PINK „S“58R	12	12	12	12		-				6		-	-	-	-	-	13	-	-	-
earth for electronics		WT/BLA „S“31	13	13	13	13		-				1		-	-	-	-	-	-	-	13	-
data line		VI „S“58L	14	14	14	14		-				2		-	-	-	-	-	11	-	-	-
data line		OR „S“R	15	15	15	15		-				5		-	-	-	-	-	12	-	-	-
free		VI/GN	-	16	-	-		-				-		-	-	-	-	-	-	-	-	-
free		OR/BL	-	17	-	-		-				-		-	-	-	-	-	-	-	-	-
current-carrying		div.	-	-	-	-		-				-		-	-	-	-	2	-	-	-	2/3

APPROVAL NUMBERS 24 V

Rear lamps / bulb

Europoint III	E9_6984
Europoint II	E9_5497
Europoint I	E9_5167
Ecopoint I	E9_5266
Ecopoint I without triangle	E9_5266
Ecopoint II	E9_1853
Earpoint I	E9_1057
3 chamber lamp	E9_5520

Rear lamps / LED

Europoint III LED	E9_11093
Europoint II LED	E9_5497
EcoLED	E9_1854
Ecopoint I LED	E9_5266
Multipoint LED	E9_5186
Multipoint V LED	E9_5946
MultiLED	E9_1599 E9_1600
3 chamber lamp LED	E9_6556 E9_1139 E4_23271 E9_5595 E9_1490 E4_13992 E4_4052
MiniLED II	E9_6535
Linepoint II	E9_11442 E9_11443
Braspoint 98	E9_11417 E9_11418 E9_11419
Braspoint 140	E9_11412 E9_11416

Position lamps / bulb

Flexipoint I white	E9_5332
Sidepoint white	E13_0484 E13_9592
Flexipoint I red	E9_5332
Monopoint	E4_7740

Position lamps / LED

Flatpoint I white LED	E9_5357
Flatpoint II white LED	E9_5499
Flatpoint II red LED	E9_5499
Unipoint I white LED	E9_5409
Unipoint I red LED	E9_5409
Posipoint II white LED	E9_5593
Posipoint II red LED	E9_5593
Monopoint II white LED	E9_5594 E9_1869
Monopoint II red LED	E9_5594 E9_1869

Side marker lamps / bulb

Sidepoint	E13_9592
-----------	----------

Side marker lamps / LED

Flatpoint I LED	E9_5247 E13_0006
Flatpoint II LED	E9_5499
Unipoint I LED	E9-5409

End outline marker lamps / bulb

Superpoint I	E13_0339 E13_2317
Superpoint II	E9_5315

End outline marker lamps / LED

Superpoint III LED	E9_1469
Superpoint IV LED	E9_6878

Number plate lamps / bulb

Regpoint	E9_4127 E9_4135
Regpoint red	E9_4059 E9_4127
Regpoint small	E20_9944
Regpoint II LED	E-4352

Number plate lamps / LED

Regpoint LED	E9_4133
--------------	---------

Additional lamps

3rd stop lamp	E9_4075
---------------	---------

Working-revers lamp

Workpoint LED 650	E13_12435
Workpoint LED 800	E13_12438
Workpoint LED 1500	E9_1392 E9_1228
Workpoint LED 3000	E9_1393
Reversing lamp LED oval	E13_12437 E9_6528

RDCpremium

RAMP-DISTANCE-CONTROL FOR TRAILER EBS




Driver's sixth sense

Damages occur too frequently while manoeuvring backwards!

RDCpremium, a sixth sense, when combined with trailers EBS systems, reduces impacts.



SENSOR



BEEPER



- Compatible with trailer EBS
- 2 robust ultrasonic sensors with fast response time
- Night mode (reversing alarm)
- Will not operate if the vehicle speed exceeds 10 km/h
- Can be fitted on rigid trucks
(excludes automatic braking function, just optical and audible warnings)
- System activation <3m
- Operating Voltage 24volt (+20% - 10%)
- Operating Temperature -30° to +65° Celsius
- LED end outline marker



Cost effective and Plug & Play!

RDCpremium, is designed to be easily retrofitted on vehicles.

It only requires a suitable connecting cable to the Trailer EBS to operate!

RDCpremium investment is low and the payback is almost immediate due to the reduction of impacts and associated costs!

THE ART OF LIGHTS

Aspöck Systems GmbH

Enzing 4 | 4722 Peuerbach | AUSTRIA

Phone.: +43 72 76 / 26 70-0 | Fax: DW 1199

E-Mail: office@aspoeck.at | www.aspoeck.com



Management
System
ISO 9001:2008
VDA 6.1

www.tuv.com
ID 9105017409

UNITED KINGDOM, EIRE

Aspöck UK Ltd.

Unit 19, Stansted Distribution Centre
Great Hallingbury
Bishops Stortford, Herts
GB-CM22 7DG
Tel.: +44 1279 655 220
Fax: +44 1279 505 869
E-Mail: sales@aspoeck.co.uk
www.aspoeck.co.uk

FRANCE, LUXEMBOURG, ALGERIA, MOROCCO, TUNISIA

Aspöck France S.A.S.

1210 Avenue de Lossburg
Zone Industrielle Sud
F-69480 Anse
Tel.: +33 437 5508 65
Fax: +33 437 5508 97
E-Mail: office@aspoeck.fr

SPAIN, PORTUGAL

Aspöck Iberica

Via Sergia, 32 Nave N° 2
Poligono Industrial
"Les Hortes del Cami Ral"
E-08302 Mataro (Barcelona)
Tel.: +34 937 598 039
Fax: +34 937 501 033
E-Mail: aspock@aspock.com
www.aspock.com

SWEDEN, FINLAND, NORWAY, DENMARK ESTONIA

Aspöck Norden AB

Birger Svenssons väg 16E
SE-432 40 Varberg
Tel.: +46 340 483 870
Fax: +46 340 483 879
E-Mail: info@aspoeck-norden.se

ITALY

PAGG Aspöck srl

Via Legnano, 8
I-20835 Muggiò (MB)
Tel.: +39 039 278 5255
Fax: +39 039 278 9582
E-Mail: info@aspoeck.it

BRAZIL

Aspock do Brasil Ltda.

Estrada RS 122 km 88,5 S/N
Bairro São Gotardo
Flores da Cunha-RS
CEP 95270-000
Tel.: +55 54 3039-5400
E-Mail: contato@aspock.com.br

POLAND, LITHUANIA, LATVIA

Aspöck Systems Polska Sp.z.o.o.

Ligota Dolna, ul. Przemysłowa 11
46-200 Kluczbork
Tel.: +48 77 548 2670
E-Mail: office.poland@aspoeck.com

TURKEY, MIDDLE EAST

Aspöck Aydınlatma Sistemleri Tic. Ltd.

Barbaros Mah. Al Zambak Sok. No:2
Varyap Meridian A Blok D 278, Kat
33, Bati Ata ehir, 34758 Istanbul,
Türkei
Tel.: +90 (0) 216 5105400-3 lines
Fax: +90 (0) 216 5105403

GERMANY

Suer GmbH & Co KG

Handelsstraße 5
D-42929 Wermelskirchen
Tel.: +49 2196 946 0
Fax: +49 2196 946 100
E-Mail: info@suer.de

GERMANY

Hofmeister & Meincke

Carsten-Dressler-Straße 6
D-26279 Bremen
Tel.: +49 421 8405 296
Fax: +49 421 8405 201
E-Mail: bremen@hofmei.de

AUSTRIA, HUNGARY, CROATIA, CZECH REPUBLIC,

Ing. A. F. Baeder Ges.m.b.H.

Leopoldgasse 13-17
A-1230 Wien
Tel.: +43 1 865 16 40
Fax: +43 1 869 22 12
E-Mail: sales@baeder-automotive.com

AUSTRIA (ONLY 12V)

Knott Handelsges.m.b.H.

Rennweg 79-81
A-1030 Wien
Tel.: +43 1 714 22 22
Fax: +43 1 714 22 33
E-Mail: info@knott.at

SWITZERLAND

AGL AG für Lastwagenzubehöre

Müslistrasse 43
CH-8957 Spreitenbach
Tel.: +41 41 348 04 80
Fax: +41 41 340 31 79
E-Mail: info@agl.ch

NETHERLAND, BELGIUM,

Frits Dijk International

Collse Heide 64
NL-5674 VN Nuenen
Tel.: +31 40 2831815
Fax: +31 40 2838717
E-Mail: info@fritsdijk.nl

SERBIA, ROMANIA, BULGARIA, SLOVAKIA

Ing. A. F. Baeder Ges.m.b.H.

Leopoldgasse 13-17
A-1230 Wien
Tel.: +43 1 865 16 40
Fax: +43 1 869 22 12
E-Mail: sales@baeder-automotive.com

MONTENEGRO, SLOVENIA, BOSNIA AND HERZEGOVINA

Ing. A. F. Baeder Ges.m.b.H.

Leopoldgasse 13-17
A-1230 Wien
Tel.: +43 1 865 16 40
Fax: +43 1 869 22 12
E-Mail: sales@baeder-automotive.com

ISRAEL

M.N. Systems

4 Beith Harishonim st
P.O.B 12186
Industrial Park Emek Hefer 38777, Israel
Tel.: +97 24 6220 111
Fax: +97 24 6220 808
E-Mail: info@mnsys.co.il

EAST ASIA

JM Company

30, Heungdo-ro 415 beongil
Doekyang-gu, Goyang-si, Gyeonggi-do
412-020, S. Korea
Tel.: +82 31 902 7670
Fax: +82 31 902 7671

RUSSIA, KYRGYZSTAN, MONGOLIA, BELARUS, KAZAKHSTAN

STAT Ltd

141580, Moscow region,
Solnechnogorsky district,
Dubrovki village, Aeroportovskaya str.,
bldg.2, Sherland BC
Tel.: + 7 (495) 739-03-47
email: info@stat-parts.ru